

This question paper contains 4+1 printed pages]

Roll No.

--	--	--	--	--	--	--	--	--	--

S. No. of Question Paper : 1568

Unique Paper Code : 2341303

F-3

Name of the Paper : Discrete Structures

Name of the Course : B.Tech. in Computer Science

Semester : III

Duration : 3 Hours

Maximum Marks : 75

(Write your Roll No. on the top immediately on receipt of this question paper.)

Section A is compulsory.

Do any four questions from Section B.

### Section A

1. (a) A collection of 10 electric bulbs contains 3 defective ones :

(i) In how many ways can a sample of four bulbs be selected ?

(ii) In how many ways can a sample of four bulbs be selected which contains two good bulbs and 2 defective ones ?

1+2

(b) Suppose  $f_1(x)$  is  $O(g_1(x))$  and  $f_2(x)$  is  $O(g_2(x))$  then show that  $(f_1(x) + f_2(x))$  is  $O(\max(g_1(x), g_2(x)))$ .

3

(c) Evaluate the sum :

3

$$\sum_{k=1}^{\infty} \frac{k^2}{2^k}$$

P.T.O.

( 2 )

1568

(d) Show that :

2

$$\bar{p} \rightarrow (q \rightarrow r) \text{ and } q \rightarrow (p \vee r)$$

are logically equivalent.

(e) Determine the discrete numeric function of the generating function :

4

$$A(Z) = Z^2 / (4 - 4Z + Z^2).$$

(f) Prove that every bipartite graph is 2-colorable.

2

(g) Using master theorem, find the solution to the recurrence :

3

$$4T(n/2) + n^2 = T(n).$$

 (h) Consider a set  $A = \{2, 7, 14, 28, 56, 84\}$  and the relation  $a \leq b$  if and only if  $a$  divides  $b$ . Give the Hasse diagram for the Partial order set  $(A, \leq)$ .

3

(i) How many edges are there in an undirected graph with two vertices of degree 7, four vertices of degree 5, and four vertices of degree 6 ?

2

 (j) Show that a full  $m$ -ary balanced tree of height  $h$  has more than  $m^{h-1}$  leaves.

3

 (k) Let  $|A| = n$  and  $|B| = m$  where  $m > n$ . Give the number of one-to-one functions,  $f : A \rightarrow B$  that can be defined ?

2

(l) Show that for a graph to be planar it should at least one vertex of degree 5 or less.

3

(m) Write the contrapositive and inverse of the following statements :

2

If you try hard, then you will win.



( 3 )

1568

**Section B**

2. (a) Find the number of integers between 1 and 250 that are divisible by any of the integers 2, 3, 5 and 7. 4

- (b) Let  $X = \{1, 2, 3, 4, 5, 6\}$ , and define a relation  $R$  on  $X$  as  $R = \{(1, 2), (2, 1), (2, 3), (3, 4), (4, 5), (5, 6)\}$ . Find the reflexive and transitive closure of  $R$ . 3

- (c) Prove that  $n^3 - n$  is divisible by 3 for any integer  $n \geq 0$ . 3

3. (a) Let 'a' be a numeric function such that : 4

$$a_r = \begin{cases} 2 & 0 \leq r \leq 3 \\ 2^{r-4} + 5 & r \geq 4 \end{cases}$$

- (i) Determine  $\Delta a$

- (ii)  $\nabla a$ .

- (b) Find the total solution of the recurrence relation : 4

$$a_n + 4a_{n-1} = 7, \text{ where } a_0 = 3.$$

- (c) How many students must be in a class to guarantee that at least two students receive the same score on the final exam, if the exam is graded on a scale from 0 to 100 points ? 2

P.T.O.

( 4 )

1568

4. (a) Draw the graph  $K_6$  and answer the following questions : 1+3
- (i) What is the degree of each vertex ?
- (ii) Is  $K_6$  planar ?
- (b) A connected planar graph  $G$  has 10 vertices each of degree 3. Into how many regions does a representation of this planar graph split the plane ? 4
- (c) How many leaves does a regular (full) 3-ary tree with 100 vertices have ? 2
5. (a) Draw graphs each having six vertices such that : 4
- (i) Graph is Hamiltonian but not Eulerian
- (ii) Graph is Eulerian but not Hamiltonian.
- (b) Show that the sum of degree of all vertices in  $G$  is twice the number of edges in  $G$ . 3
- (c) What is the condition for  $K_{m,n}$  to have an Euler path or circuit ? Justify your answer. 3
6. (a) Use the insertion sort algorithm to sort the list 2, 14, 9, 13, 12. 3
- (b) Determine whether each of the functions  $2^{n+1}$  and  $2^{2n}$  is  $O(2^n)$ . 4
- (c) Using substitution method, prove that  $T(n)$  is  $O(n \lg n)$  given that : 3

$$T(n) = 2T\left(\frac{n}{2}\right) + n.$$



( 5 )

1568

7. (a) Show that  $(p \rightarrow q) \wedge (r \rightarrow q) \Leftrightarrow (p \vee r) \rightarrow q$  are logically equivalent using the laws of logical equivalences.

4

- (b) Show that :

$$(p \wedge q) \rightarrow (p \vee q)$$

is a tautology with the help of truth table.

2

- (c) Show that the premises “It is not sunny this afternoon and it is colder than yesterday;” “We will go swimming only if it sunny;” “If we do not go swimming, then we will take a canoe trip”; and “If we take a canoe trip, then we will be home by sunset” lead to the conclusion—“We will be home by sunset”.

4

1568

5

2,000