


Pectoral girdle:


- 1) Pectoralis maj (spiral m/s → insertn on lateral lip of bicipital groove.
- 2) Deltoid.
- 3) in b/w clav. fib of Deltoid & pec. maj, Deltopectoral groove is present which contains cephalic vein.

- 4) subclavius
 - 5) pectoralis min. (2, 3, 4 ribs)
- enclosed in clavipectoral fascia
- divides axillary a into ③.
- 6) subscapularis (Forgotten m/s)

Back & scapula: (Vertebro-scapular m/s & Scapulo Humeral m/s)

- 1) Lev. scapulae
 - 2) Rhom. min.
 - 3) Rhom. maj
- medial border
- 

Ant. compartment of Arm



Flexor/Ant. compartment

www.FirstRanker.com

Middle comp. ①

Deep comp. ③

(8)

1) Superf. comp. (4)
 PT
 FCR
 PL
 FCU

2) Middle comp. (1) — FDS

3) Deep comp (3)
 FDP
 FPL
 PQ

Extensor/post. compartment (10)

→ superficial m/s (6)

ECR
 ECRL
 ECRB

EDM

ED

ECU

Anconeus

→ Deep m/s (4)

EI (medial most)

EPL (medial border)
 EPB

Anat. snuff box


Ab. PL } lateral border


* originates from clavicle & covers subclavius and pec. min. Then its extension called susp. lig of axilla which forms dome of ^{floor of} Axilla

④ structures piercing it

- ① A. ⇒ Thoraco-acromial art.
- ① V. ⇒ Cephalic v.
- ① n/v ⇒ Lat. pectoral n/v ⇒ ^(Lat. Cord of Brachial plexus) supp. pectoralis major
- ① Lymph. duct ⇒ ^(lymphatics drain into) Apical group of L.N.

Sagg. secn at Axilla





Note:

Axill. sheath $\Rightarrow$ continuation of preverteb. layer

