www.FirstRanker.com || www.FirstRanker.com || www.FirstRanker.com || www.FirstRanker.com

Code: 9A05706



B.Tech IV Year II Semester (R09) Advanced Supplementary Examinations, July 2013 DATA WAREHOUSING & DATA MINING

(Electronics and Computer Engineering)

Time: 3 hours

Max. Marks: 70

Answer any FIVE questions All questions carry equal marks

- 1 (a) List and describe the five primitives for specifying a data mining task.
 - (b) In real world data, tuples with missing values for some attributes are a common occurrence. Describe various methods for handling this problem.
 - (c) Define each of the following data mining functionalities:(i) Characterization. (ii) Discrimination. (iii) Classification.
- 2 (a) Briefly compare the following concepts. You may use an example to explain your points:
 - (i) Snowflake schema, fact constellation starnet query model.
 - (ii) Data cleaning, data transformation, refresh.
 - (iii) Enterprise warehouse, data mart, virtual warehouse.
 - (b) What are the differences between the three main types of data warehouse usage: information processing, analytical processing and data mining? Discuss the motivation behind OLAP mining.
- 3 (a) Find association rules with 50% support and 75% confidence for the transactions given below.

Tid	Items
1	I ₁ , I ₂ , I ₃ , I ₄
2	I ₁ , I ₂ , I ₄
3	I ₁ , I ₅ , I ₆
4	I ₁ , I ₄ , I ₅
5	I ₂ , I ₄ , I ₅

Generate frequent item sets using candidate generation method.

- (b) What is multilevel association mining? Illustrate with examples how multilevel association rules can be mined.
- 4 (a) Discuss the major steps of decision free classification.
 - (b) Describe the K-nearest neighbor classifier.

Contd. in Page 2

Page 1 of 2

www.FirstRanker.com || www.FirstRanker.com || www.FirstRanker.com || www.FirstRanker.com

Code: 9A05706



5 (a) Suppose that the data mining task is to cluster the following 8 points into 3 clusters:

 A_1 (2, 10), A_2 (2,5), A_3 (8,4) B_1 (5, 8), B_2 (7, 5), B_3 (6, 4) C_1 (1, 2), C_2 (4, 9)

Distance function is Euclidean distance. Suppose initially we assign A_1 , B_1 and C_1 as the center of each cluster respectively. Use the K-means algorithm to show only (i) The 3 cluster centers after the first round execution. (ii) The final 3 clusters.

- (b) How does DBSCAN find clusters? Explain.
- 6 (a) What is data stream mining? Discuss the stream OLAP and stream data cubes.
 - (b) Outline an efficient method that may find strong correlation rules in a large multi relational database.
- 7 (a) Discuss the basic measures for text retrieval.
 - (b) Discuss the different categories of association that can be mined in multimedia data.
- 8 (a) Write a short notes on data mining system products and research prototypes.

(b) Discuss the social impacts of data mining.

FUrstr

Page 2 of 2