www.FirstRanker.com

**R13** 

Code: 13A01501

## B.Tech III Year I Semester (R13) Regular Examinations December 2015

## **BUILDING PLANNING & DRAWING**

(Civil Engineering)

Time: 3 hours Max. Marks: 70

## PART – A

(Answer the following: 03 X 10 = 30 Marks)

\*\*\*\*

UNIT – I

- 1 (a) What are building bye laws? Explain them briefly.
  - (b) Write short notes on Floor Area Ratio (FAR), how it is related to height of the building. Explain.

OR

- 2 (a) Explain in detail the factors to be considered for selection of a site for a residential building?
  - (b) On what considerations, the grouping of various units in residential buildings is made?

UNIT – II

3 Explain the characteristics of various types of residential buildings, with sketches.

OR

- 4 (a) What are the minimum standards of various parts of Hospital and Dispensaries?
  - (b) Discuss the principles of planning of school building.

UNIT – III

5 Distinguish between PERT and CPM in detail.

OR

From the utility data for a network are given below. Determine the total, free, independent and interfering floats and identify the critical path.

•	-	•								
Activity	0-1	1-2	1-3 2-4	2-5	3-4	3-6	4-7	5-7	6-7	
Duration(in days)	2	8	10 6	3	3	7	5	2	8	

PART - B

(Answer the following: 01 X 10 = 10 Marks)

[ UNIT - IV ]

7 Draw to a suitable scale the front elevation of a King post truss indicating all details for a clear opening of 8000 mm.

OR

8 Draw conventional signs for the following materials:

(i) Brick. (ii) Concrete. (iii) Wood. (iv) Stone. (v) Earth.

Contd. in page 2



## UNIT – V

(Answer the following:  $01 \times 30 = 30 \text{ Marks}$ )


- 9 The line sketch of the plan of a residential building is shown in figure below. Draw:
  - (a) A neat dimensioned plan.
  - (b) Sectional elevation along AB, to a suitable scale, using the following specification.

Specifications: Foundations: C.C 1:4:8 800 mm wide and 300 mm thick.

Footings: Rubble stone masonry: 600 mm x 500 mm.

Basement: Coursed rubble masonry: 400 mm wide and 700 mm high. Superstructure: Brickwork in C.M 1.5:300 mm wide and 300 mm high.

R.O.C roofing: 100mm thick.





OR

- Figure shown in below the line drawing of a residential building, draw to a scale of the following:
  - (a) Plan.
  - (b) Section along AB.
  - (c) Front elevation.

The following specifications are to be adopted:


Foundation: Depth 1000 mm. C.C bed 1000 mm x 300 mm.

Two footings with an off set of 50 mm and 250 mm thickness each. Basement: 600 mm high, thickness of wall at this level is 400 mm.

Walls: Brick masonry in C.M.1:6, 300mm thick

Roof: R.C.C slab 120mm thick.

Provide the details of doors, windows, ventilators and steps etc. as per standard dimensions.



(Assume suitable dimensions where necessary)

\*\*\*\*