

R

Two Polaroids P_1 and P_2 are placed with their axis perpendicular to each other. Unpolarised light I_0 is incident on P_1 . A third polaroid P_3 is kept in between P_1 and P_2 such that its axis makes an angle 45° with that of P_1 . The intensity of transmitted light through P_2 is:

(1) $\frac{I_0}{16}$


(2) $\frac{I_0}{2}$

(3) $\frac{I_0}{4}$

(4) $\frac{I_0}{8}$

$I = I_0 \cos^2 \theta$
 $= I_0 \times \cos^2 45^\circ$
 $= I_0 \times \left(\frac{1}{\sqrt{2}}\right)^2$
 $= \frac{I_0}{2}$

Two blocks A and B of masses 3m and m respectively are connected by a massless and inextensible string. The whole system is suspended by a massless spring as shown in figure. The magnitudes of acceleration of A and B immediately after the string is cut, are respectively:



(1) $\frac{g}{3}, \frac{g}{3}$

$4 \times \frac{1}{2} \times \frac{1}{2} \times \frac{1}{2}$

Thermodynamic processes are indicated in the following diagram.



Match the following:

Column-1	Column-2
P. Process I	a. Adiabatic
Q. Process II	b. Isobaric
R. Process III	c. Isochoric
S. Process IV	d. Isothermal
(1) P → d, Q → b, R → a, S → c	
(2) P → a, Q → c, R → d, S → b	
(3) P → c, Q → a, R → d, S → b	
(4) P → c, Q → d, R → b, S → a	

The resistance of a wire is 'R' ohm. If it is melted and stretched to 'n' times its original length, its new resistance will be:

(1) $\frac{R}{n^2}$

(2) nR

(3) $\frac{R}{n}$

(4) $n^2 R$

$l \rightarrow R \propto l$
 $\frac{R}{n^2} = nL$
 $A_1 l_1 = A_2 l_2$
 $A \times l \propto \frac{1}{n^2}$
 $R \propto \frac{1}{n^2}$

Young's double slit experiment is first performed in air and then in a medium other than air. It is found that 8th bright fringe in the medium lies where 5th dark fringe lies in air. The refractive index of the medium is nearly:

(1) 1.78

(2) 1.25

(3) 1.59

(4) 1.69

$\frac{8n\lambda}{d} = \frac{9\lambda}{2}$

Suppose the charge of a proton and an electron differ slightly. One of them is +e, the other is (e + Δe). If

7. A spherical black body with a radius of 12 cm radiates 450 watt power at 500 K. If the radius were halved and the temperature doubled, the power radiated in watt would be:

- (1) 1800
(2) 225
(3) 450
(4) 1000

$$\frac{P_1}{P_2} = \frac{A_1 T_1^4}{A_2 T_2^4}$$

8. In an electromagnetic wave in free space the root mean square value of the electric field is $E_{rms} = 6 \text{ V/m}$. The peak value of the magnetic field is:

- (1) $4.23 \times 10^{-8} \text{ T}$
(2) $1.41 \times 10^{-8} \text{ T}$
(3) $2.83 \times 10^{-8} \text{ T}$
(4) $0.70 \times 10^{-8} \text{ T}$

$$E_{rms} B_{rms} = c$$

$$B = \frac{E}{c} = \frac{6}{3 \times 10^8} = 2 \times 10^{-8} \text{ T}$$

9. One end of string of length l is connected to a particle of mass 'm' and the other end is connected to a small peg on a smooth horizontal table. If the particle moves in a circle with speed ' v ', the net force on the particle (directed towards center) will be (T represents the tension in the string)

- (1) Zero
(2) T
(3) $T + \frac{mv^2}{l}$
(4) $T - \frac{mv^2}{l}$



10. The de-Broglie wavelength of a neutron in thermal equilibrium with heavy water at a temperature T (Kelvin) and mass m , is:

11. A physical quantity of the dimension of length that can be formed out of c , G and $\frac{h}{4\pi m_0}$ is velocity of light. G is universal constant of gravitation and h is Planck's constant.

$$\frac{1}{c} \left[\frac{G h^2}{4\pi m_0} \right]^{1/2}$$

$$\frac{1}{c} \left[\frac{G h^2}{4\pi m_0} \right]^{1/2}$$

$$\frac{1}{c} \left[\frac{G h^2}{4\pi m_0} \right]^{1/2}$$

$$\frac{1}{c} \left[\frac{G h^2}{4\pi m_0} \right]^{1/2}$$

$$\frac{1}{c} \left[\frac{G h^2}{4\pi m_0} \right]^{1/2}$$

12. Two cars moving in opposite directions approach each other with speed of 22 m/s and 16.5 m/s respectively. The driver of the first car blows a horn having a frequency 400 Hz. The frequency heard by the driver of the second car is (velocity of sound 340 m/s):

- (1) 448 Hz
(2) 350 Hz
(3) 361 Hz
(4) 411 Hz

13. Which of the following statements are correct?


- (a) Centre of mass of a body always coincides with the centre of gravity of the body.
(b) Centre of mass of a body is the point at which the total gravitational torque on the body is zero.
(c) A couple on a body produce both

(4) $\frac{t_1 t_2}{t_2 + t_1}$

15. Two discs of same moment of inertia rotating about their regular axis passing through centre and perpendicular to the plane of disc with angular velocities ω_1 and ω_2 . They are brought into contact face to face coinciding the axis of rotation. The expression for loss of energy during this process is

- (1) $\frac{1}{8} (\omega_1 - \omega_2)^2$
 (2) $\frac{1}{2} I (\omega_1 + \omega_2)^2$
 (3) $\frac{1}{4} I (\omega_1 - \omega_2)^2$
 (4) $I (\omega_1 - \omega_2)^2$

16. An arrangement of three parallel straight wires placed perpendicular to plane of paper carrying same current 'I' along the same direction is shown in Fig. Magnitude of force per unit length on the middle wire 'B' is given by :



- (1) $\frac{\mu_0 I^2}{\sqrt{2} \pi d}$
 (2) $\frac{\mu_0 I^2}{2 \pi d}$
 (3) $\frac{2 \mu_0 I^2}{\pi d}$
 (4) $\frac{\sqrt{2} \mu_0 I^2}{\pi d}$

- (1)
 (2)
 (3)
 (4)

18. The ratio of wavelengths of the last line of Balmer series and the last line of Lyman series is

- (1) 0.5
 (2) 2
 (3) 1
 (4) 4

19. The bulk modulus of a spherical object is 'B' subjected to uniform pressure 'p', the true decrease in radius is :

- (1) $\frac{p}{3B}$
 (2) $\frac{p}{B}$
 (3) $\frac{B}{3p}$
 (4) $\frac{3p}{B}$


20. A 250 - Turn rectangular coil of length 2 m width 1.25 m carries a current of 8 A subjected to a magnetic field of strength 0.5 T. The work done for rotating the coil by 180° against it is :

- (1) 1.15 J
 (2) 9.1 J
 (3) 4.55 J
 (4) 2.3 J

(3) 0.25 rad/s^2

(4) 25 rad/s^2

23. A U tube with both ends open to the atmosphere, is partially filled with water. Oil, which is immiscible with water, is poured into one side until it stands at a distance of 10 mm above the water level on the other side. Meanwhile the water rises by 65 mm from its original level (see diagram). The density of the oil is:



- (1) 928 kg m^{-3}
 (2) 650 kg m^{-3}
 (3) 425 kg m^{-3}
 (4) 800 kg m^{-3}

$\frac{d\lambda}{dt} = \frac{5(2) - 4(2)}{10}$
 $= \frac{10 - 8}{10}$
 $= \frac{2}{10} = \frac{1}{5}$
 $\frac{10 - 8}{2} = \frac{2}{2} = 1$

24. The x and y coordinates of the particle at any time are $x = 5t - 2t^2$ and $y = 10t$ respectively, where x and y are in meters and t in seconds. The acceleration of the particle at $t = 2s$ is:

- (1) -8 m/s^2
 (2) 0
 (3) 5 m/s^2
 (4) -4 m/s^2

$5 - 4t$
 $a = \frac{dx}{dt} = \frac{5 - 4t}{10 - 2(4)}$
 $= \frac{5 - 4(2)}{10 - 8}$
 $= \frac{5 - 8}{2}$
 $= \frac{-3}{2} = -1.5$


(3) $\frac{\sqrt{5}}{2\pi}$
 (4) $\frac{4\pi}{\sqrt{5}}$

25. Radioactive material 'A' has decay constant 8λ and material 'B' has decay constant λ . Initially they have same number of nuclei. After what time, the ratio of number of nuclei of material 'B' to that of 'A' will be $\frac{1}{e}$?

- (1) $\frac{1}{9\lambda}$
 (2) $\frac{1}{\lambda}$
 (3) $\frac{1}{7\lambda}$
 (4) $\frac{1}{8\lambda}$

8λ
 $\frac{1}{e}$

27. The diagrams below show regions of equipotentials.



A positive charge is moved from A to B in each diagram.

- (1) Maximum work is required to move a charge from A to B in figure (b).
 (2) Maximum work is required to move a charge from A to B in figure (c).
 (3) In all the four cases the work done is the same.
 (4) Minimum work is required to move a charge from A to B in figure (a).

$$\left(\frac{a}{2}\right)^2 = \frac{1}{2} c v^2 \quad (b)$$

If θ_1 and θ_2 be the apparent angles of dip observed in two vertical planes at right angles to each other, then the true angle of dip θ is given by :

- (1) $\tan^2 \theta = \tan^2 \theta_1 + \tan^2 \theta_2$
- (2) $\cot^2 \theta = \cot^2 \theta_1 + \cot^2 \theta_2$
- (3) $\tan^2 \theta = \tan^2 \theta_1 + \tan^2 \theta_2$
- (4) $\cot^2 \theta = \cot^2 \theta_1 + \cot^2 \theta_2$

33. Consider a drop of rain water having mass m falling from a height of 1 km . It hits the ground with a speed of 50 m/s . Take g constant with a value 10 m/s^2 . The work done by the (i) gravitational force and the (ii) resistive force of air is :

- (1) (i) 10 J (ii) -8.75 J
- (2) (i) -10 J (ii) -8.25 J
- (3) (i) 1.25 J (ii) -8.25 J
- (4) (i) 100 J (ii) 8.75 J

$$\begin{aligned} \frac{1}{2} m v^2 &= 29.5 \text{ J} \\ W &= 2 \times 10 \times 100 \\ &= 80 \end{aligned}$$

35. A long solenoid of diameter 0.1 m has 2×10^4 turns per meter. At the centre of the solenoid, a coil of 100 turns and radius 0.01 m is placed with its axis coinciding with the solenoid axis. The current in the solenoid reduces at a constant rate to 0 A from 4 A in 0.05 s . If the resistance of the coil is $10 \pi^2 \Omega$, the total charge flowing through the coil during this time is :

- (1) $16 \pi \mu \text{ C}$
- (2) $32 \pi \mu \text{ C}$
- (3) $16 \mu \text{ C}$
- (4) $32 \mu \text{ C}$

$$\begin{aligned} \frac{1}{2} \times 10 \pi^2 \times 10^{-8} \times \\ \frac{1}{10 \pi^2 \times 10^{-2}} \end{aligned}$$

36. A beam of light from a source L is incident normally on a plane mirror fixed at a certain distance x from the source. The beam is reflected back as a spot on a scale placed just above the source L . When the mirror is rotated through a small angle θ , the spot of the light is found to move through a distance y on the scale. The angle θ is given by :

37. A capacitor is charged by a battery. The battery is removed and another identical uncharged capacitor is connected in parallel. The total electrostatic energy of resulting system :

- (1) increases by a factor of 2
- (2) increases by a factor of 4
- (3) decreases by a factor of 2
- (4) remains the same

38. The ratio of resolving powers of an optical microscope for two wavelengths $\lambda_1 = 4000 \text{ \AA}$ and $\lambda_2 = 6000 \text{ \AA}$ is :

- (1) 16 : 81
- (2) 8 : 27
- (3) 9 : 4
- (4) 3 : 2

39. The acceleration due to gravity at a height 1 km above the earth is the same as at a depth d below the surface of earth. Then :

- (1) $d = 2 \text{ km}$
- (2) $d = \frac{1}{2} \text{ km}$
- (3) $d = 1 \text{ km}$
- (4) $d = \frac{3}{2} \text{ km}$

40. Two astronauts are floating in gravitational free space after having lost contact with their spaceship. The two will :

- (1) will become stationary.
- (2) keep floating at the same distance between them.
- (3) move towards each other.
- (4) move away from each other.

41. Figure shows a circuit that contains three identical resistors with resistance $R = 9.0 \Omega$ each, two identical inductors with inductance $L = 2.0 \text{ mH}$ each, and an ideal battery with emf $\mathcal{E} = 18 \text{ V}$. The current 'i' through the battery just after the switch closed is.....


37. The photoelectric threshold wavelength of silver is $3250 \times 10^{-10} \text{ m}$. The velocity of the electron ejected from a silver surface by ultraviolet light of wavelength $2536 \times 10^{-10} \text{ m}$ is
(Given $h = 4.14 \times 10^{-15} \text{ eVs}$ and $c = 3 \times 10^8 \text{ ms}^{-1}$)

- (1) $5.93 \times 10^6 \text{ ms}^{-1}$
(2) $6 \times 10^5 \text{ ms}^{-1}$
(3) $0.6 \times 10^6 \text{ ms}^{-1}$
(4) $61 \times 10^3 \text{ ms}^{-1}$

38. A gas mixture consists of 2 moles of O_2 and 4 moles of Ar at temperature T. Neglecting all vibrational modes, the total internal energy of the system is:

- (1) 11 RT
(2) 4 RT
(3) 15 RT
(4) 9 RT

39. Two rods A and B of different materials are welded together as shown in figure. Their thermal conductivities are K_1 and K_2 . The thermal conductivity of the composite rod will be:



- (1) $2(K_1 + K_2)$

(2) $\frac{K_1 + K_2}{2}$

(3) $\frac{3(K_1 + K_2)}{2}$

- (4) $K_1 + K_2$

40. A thin prism having refracting angle 10° is made of glass of refractive index 1.42. This prism is combined with another thin prism of glass of refractive index

41. The given electrical network is equivalent to: (I)



- (1) NOT gate
(2) AND gate
(3) OR gate
(4) NOR gate

42. A spring of force constant k is cut into lengths of ratio 1:2:3. They are connected in series and the new force constant is k' . Then they are connected in parallel and force constant is k'' . Then $k' : k''$ is:

- (1) 1:14
(2) 1:6
(3) 1:9
(4) 1:11

43. A Carnot engine having an efficiency of $\frac{1}{10}$ as heat engine, is used as a refrigerator. If the work done on the system is 10 J, the amount of energy absorbed from the reservoir at lower temperature is:

- (1) 100 J
(2) 1 J
(3) 90 J
(4) 99 J

44. In a common emitter transistor amplifier the audio signal voltage across the collector is 3 V. The resistance of collector is 3 kΩ. If current gain is 100 and the base resistance is 2 kΩ, the voltage and power gain of the amplifier is:

- (1) 20 and 2000
(2) 200 and 1000
(3) 15 and 200
(4) 150 and 15000

46. In the electrochemical cell:

$\text{Zn}|\text{ZnSO}_4(0.01\text{ M})||\text{CuSO}_4(1.0\text{ M})|\text{Cu}$, the emf of this Daniel cell is E_1 . When the concentration of ZnSO_4 is changed to 1.0 M and that of CuSO_4 changed to 0.01 M , the emf changes to E_2 . From the followings, which one is the relationship between


E_1 and E_2 ? (Given, $\frac{RT}{F} = 0.059$)

- (1) $E_2 = 0 \neq E_1$
 (2) $E_1 = E_2$
 (3) $E_1 < E_2$
 (4) $E_1 > E_2$

$\log \frac{E_2}{E_1} = \log \frac{1.0}{0.01} = 2$
 $E_2 = 10 \times 0.059 = 0.59$
 $E_1 = 0.59$
 $E_2 = 1.18$
 $E_2 > E_1$

47. The heating of phenyl-methyl ethers with HI produces

- (1) benzene
 (2) ethyl chlorides
 (3) iodobenzene
 (4) phenol



48. Mixture of chloroxylenol and terpineol acts as:

- (1) antibiotic
 (2) analgesic
 (3) antiseptic
 (4) antipyretic

49. A gas is allowed to expand in a well insulated container against a constant external pressure of 2.5 atm from an initial volume of 2.50 L to a final volume of 4.50 L . The change in internal energy ΔU of the gas in joules will be:

- (1) $+505\text{ J}$
 (2) 1136.25 J

$\Delta U = P_{\text{ext}} \Delta V$
 $\Delta U = 2.5 \times (4.5 - 2.5) \times 101.3$
 $\Delta U = 506.25\text{ J}$

51. The reason for greater range of oxidation states in actinoids is attributed to:

- (1) 4f and 5d levels being close in energies
 (2) the radioactive nature of actinoids
 (3) actinoid contraction
 (4) 5f, 6d and 7s levels having comparable energies



52. The element $Z = 114$ has been discovered recently. It will belong to which of the following family/group and electronic configuration?


- (1) Nitrogen family, $[\text{Rn}] 5f^{14} 6d^{10} 7s^2 7p^5$
 (2) Halogen family, $[\text{Rn}] 5f^{14} 6d^{10} 7s^2 7p^5$
 (3) Carbon family, $[\text{Rn}] 5f^{14} 6d^{10} 7s^2 7p^2$
 (4) Oxygen family, $[\text{Rn}] 5f^{14} 6d^{10} 7s^2 7p^4$

53. Which one is the correct order of acidity?

- (1) $\text{CH}_3 - \text{CH}_3 > \text{CH}_2 = \text{CH}_2 > \text{CH}_3 - \text{C} \equiv \text{CH} > \text{CH} \equiv \text{CH}$
 (2) $\text{CH}_2 = \text{CH}_2 > \text{CH}_3 - \text{CH} = \text{CH}_2 > \text{CH}_3 - \text{C} \equiv \text{CH} > \text{CH} \equiv \text{CH}$
 (3) $\text{CH} \equiv \text{CH} > \text{CH}_3 - \text{C} \equiv \text{CH} > \text{CH}_2 = \text{CH}_2 > \text{CH}_3 - \text{CH} = \text{CH}_2$
 (4) $\text{CH} \equiv \text{CH} > \text{CH}_2 = \text{CH}_2 > \text{CH}_3 - \text{C} \equiv \text{CH} > \text{CH}_3 - \text{CH} = \text{CH}_2$

54. Of the following, which is the product formed when cyclohexanone undergoes aldol condensation followed by heating?





- Identify A, X, Y and Z
- (1) A-Ethanol, X-Acetaldehyde, Y-Butanone, Z-Hydrazine.
 - (2) A-Methoxymethane, X-Ethanoic acid, Y-Acetate ion, Z-hydrazine.
 - (3) A-Methoxymethane, X-Ethanol, Y-Ethanoic acid, Z-Semicarbazide.
 - (4) A-Ethanol, X-Ethanol, Y-But-2-enal, Z-Semicarbazone.

56. An example of a sigma bonded organometallic compound is:

- (1) Cobaltocene
- (2) Ruthenocene
- (3) Grignard's reagent
- (4) Ferrocene

57. Which of the following reactions is appropriate for converting acetamide to methanamine?

- (1) Gabriel's phthalimide synthesis
- (2) Carbylamine reaction
- (3) Hoffmann hypobromamide reaction
- (4) Stephens reaction

59. Identify A and predict the type of reaction



- (1) COc1ccccc1O and cine substitution reaction
- (2) COc1ccc(N)cc1 and substitution reaction
- (3) COc1ccc(N)cc1 and elimination reaction
- (4) COc1ccccc1Br and cine substitution reaction

60. Mechanism of a hypothetical reaction $X_2 + Y_2 \rightarrow 2 XY$ is given below:

- $X_2 \rightarrow X + X$ (fast)
- $X + Y_2 \rightarrow XY + Y$ (slow)
- $X + Y \rightarrow XY$ (fast)

The overall order of the reaction will be:

- (1) 1.5
- (2) 1
- (3) 2

10

67.

Extraction of gold and silver involves leaching with CN^- ion. Silver is later recovered by

- (1) displacement with Zn
(2) liquation
(3) distillation
(4) zone refining

68.

Which one of the following pairs of species have the same bond order?

- (1) N_2, O_2^- ✓
(2) CO, NO^+ ✓
(3) O_2, NO^+ ✓
(4) CN^-, CO ✓


69.

Correct increasing order for the wavelengths of absorption in the visible region for the following Co^{3+} is:

- (1) $[\text{Co}(\text{NH}_3)_6]^{3+}, [\text{Co}(\text{en})_3]^{3+}, [\text{Co}(\text{H}_2\text{O})_6]^{3+}$
(2) $[\text{Co}(\text{en})_3]^{3+}, [\text{Co}(\text{NH}_3)_6]^{3+}, [\text{Co}(\text{H}_2\text{O})_6]^{3+}$
(3) $[\text{Co}(\text{H}_2\text{O})_6]^{3+}, [\text{Co}(\text{en})_3]^{3+}, [\text{Co}(\text{NH}_3)_6]^{3+}$
(4) $[\text{Co}(\text{H}_2\text{O})_6]^{3+}, [\text{Co}(\text{NH}_3)_6]^{3+}, [\text{Co}(\text{en})_3]^{3+}$

70.

The correct increasing order of basic strength for the following compounds is:



- (1) II < I < III
(2) II < III < I
(3) III < I < II
(4) III < II < I

71.

Name the gas that can readily decolourise acidified KMnO_4 solution:

- (1) P_2O_5

62.

Predict the correct intermediate and product in the following reaction:



- (1) A: $\text{H}_3\text{C}-\text{C}(\text{OH})=\text{CH}_2$ B: $\text{H}_3\text{C}-\text{C}(\text{OH})_2-\text{CH}_3$
(2) A: $\text{H}_3\text{C}-\text{C}(\text{OH})=\text{CH}_2$ B: $\text{H}_3\text{C}-\text{C}(\text{OH})_2-\text{CH}_3$
(3) A: $\text{H}_3\text{C}-\text{C}(\text{OH})=\text{CH}_2$ B: $\text{H}_3\text{C}-\text{C}(\text{OH})_2-\text{CH}_3$
(4) A: $\text{H}_3\text{C}-\text{C}(\text{OH})=\text{CH}_2$ B: $\text{H}_3\text{C}-\text{C}(\text{OH})_2-\text{CH}_3$

63.

It is because of inability of ns^2 electrons of the valence shell to participate in bonding that:

- (1) Sn^{4+} is reducing while Pb^{4+} is oxidising
(2) Sn^{2+} is reducing while Pb^{2+} is oxidising
(3) Sn^{2+} is oxidising while Pb^{2+} is reducing
(4) Sn^{2+} and Pb^{2+} are both oxidising and reducing

64.

HgCl_2 and I_2 both when dissolved in water containing I^- ions the pair of species formed is:

- (1) $\text{Hg}_2\text{I}_2, \text{I}^-$
(2) HgI_2, I_2
(3) HgI_2, I^-
(4) $\text{HgI}_4^{2-}, \text{I}_2$

65.

The species having bond angles of 120° is:

- (1) BCl_3

73. The IUPAC name of the compound




- is _____
- (1) 3-keto-2-methylhex-5-enal
 - (2) 3-keto-2-methylhex-4-enal
 - (3) 5-formylhex-2-en-3-one
 - (4) 5-methyl-4-oxohex-2-en-5-al

74. Which of the following statements is not correct?

- (1) Denaturation makes the proteins more active.
- (2) Insulin maintains sugar level in the blood of a human body.
- (3) Ovalbumin is a simple food reserve in egg-white.
- (4) Blood proteins thrombin and fibrinogen are involved in blood clotting.

The equilibrium constants of the following are:



The equilibrium constant (K) of the reaction:



- (1) $K_2^3 K_3 / K_1$
- (2) $K_1 K_2 / K_3$
- (3) $K_2 K_3 / K_1$
- (4) $K_2 K_3 / K_1$

R

77. Which is the incorrect statement?

- (1) Frenkel defect is favoured in those ionic compounds in which sizes of cation and anions are almost equal.
- (2) $FeO_{0.98}$ has non stoichiometric metal deficiency defect.
- (3) Density decreases in case of crystals with Schottky's defect.
- (4) $NaCl(s)$ is insulator, silicon is semiconductor, silver is conductor, quartz is piezo electric crystal.

78. Ionic mobility of which of the following alkali metal ions is lowest when aqueous solution of their salts are put under an electric field?

- (1) Li
- (2) Na
- (3) K
- (4) Rb

79. Which one is the wrong statement?

- (1) The energy of 2s orbital is less than the energy of 2p orbital in case of Hydrogen like atoms.
- (2) de-Broglie's wavelength is given by $\lambda = \frac{h}{m v}$, where m = mass of the particle, v = group velocity of the particle.

(3) The uncertainty principle is $\Delta E \times \Delta t \geq \frac{h}{4\pi}$.

- (4) Half filled and fully filled orbitals have greater stability due to greater exchange energy, greater symmetry and more balanced arrangement.

80. The correct statement regarding electrophile is:

- (1) Electrophile can be either neutral or positively charged species and can form a bond by accepting a pair of electrons from a nucleophile.

12

81. A 20 litre container at 400 K contains $\text{CO}_2(\text{g})$ at pressure 0.4 atm and an excess of SrO (neglect the volume of solid SrO). The volume of the container is now decreased by moving the movable piston of the in the container. The maximum volume of the container, when pressure of CO_2 attains its maximum value, will be:





(Given that : $\text{SrCO}_3(\text{s}) \rightleftharpoons \text{SrO}(\text{s}) + \text{CO}_2(\text{g})$, $K_p = 1.6 \text{ atm}$)

- (1) 2 litre
(2) 5 litre
(3) 10 litre
(4) 4 litre

$K_p = 1.6$

$K_p = 1.6$

82. Which one is the most acidic compound?



83. A first order reaction has a specific reaction rate of 10^{-2} sec^{-1} . How much time will it take for 20 g of the reactant to reduce to 5 g?

- (1) 693.0 sec
(2) 230.6 sec
(3) 138.6 sec
(4) 346.5 sec

84. With respect to the conformers of ethane, which of the following statements is true?

- (1) Both bond angles and bond length remains same
(2) Bond angle remains same but bond length changes
(3) Bond angle changes but bond length remains same
(4) Both bond angle and bond length change

85. Which one of the following statements is not correct?

- (1) Coenzymes increase the catalytic activity of enzyme.
(2) Catalyst does not initiate any reaction.
(3) The value of equilibrium constant is changed in the presence of a catalyst in the reaction at equilibrium.
(4) Enzymes catalyse mainly bio-chemical reactions.

86. Which of the following pairs of compounds is isoelectronic and isostructural?

- (1) $\text{IF}_3, \text{XeF}_2$
(2) $\text{BeCl}_2, \text{XeF}_2$
(3) $\text{TeI}_4, \text{XeF}_2$
(4) $\text{IBr}_2, \text{XeF}_2$

87. Match the interhalogen compounds of column I with the geometry in column II and assign the correct code.

Column I	Column II
(a) XX'	(i) T-shape
(b) XX_3	(ii) Pentagonal bipyramidal
(c) XX_5	(iii) Linear

96. An example of colonial algae is

- (1) *Spirogyra*
- (2) *Chlamydomonas*
- (3) *Volvox*
- (4) *Ulva*

Match the following sexually transmitted diseases (Column - I) with their causative agents (Column - II) and select the correct option.

Column - I	Column - II
(a) Gonorrhoea	(i) <i>HSV</i>
(b) Syphilis	(ii) <i>Neisseria</i>
(c) Genital Warts	(iii) <i>Trichomonas</i>
(d) AIDS	(iv) <i>Human Papilloma Virus</i>

Options:

- (a) (i) (ii) (iii) (iv)
- (b) (i) (ii) (iii) (iv)
- (c) (i) (ii) (iii) (iv)
- (d) (i) (ii) (iii) (iv)

97. Coconut fruit is a -

- (1) Capsule
- (2) Drupe
- (3) Berry
- (4) Nut

98.

The most suitable method of separation of AgCl is

- (1) Sublimation
- (2) Fractional distillation
- (3) Chromatography
- (4) Crystallisation

The correct order of the antihalogenation of AgCl is

- (1) $\text{AgCl} \xrightarrow{\text{H}_2\text{S}} \text{Ag}_2\text{S} \xrightarrow{\text{HNO}_3} \text{AgNO}_3$
- (2) $\text{AgCl} \xrightarrow{\text{H}_2\text{S}} \text{Ag}_2\text{S} \xrightarrow{\text{HCl}} \text{AgCl}$
- (3) $\text{AgCl} \xrightarrow{\text{H}_2\text{S}} \text{Ag}_2\text{S} \xrightarrow{\text{HNO}_3} \text{AgNO}_3$
- (4) $\text{AgCl} \xrightarrow{\text{H}_2\text{S}} \text{Ag}_2\text{S} \xrightarrow{\text{HCl}} \text{AgCl}$

A replication in *Escherichia coli*

- (1) Just before transcription
- (2) During S phase
- (3) Within nucleus
- (4) Prior to fusion

The function of copper ions in copper releasing IUD's is -

- (1) They inhibit ovulation.
- (2) They suppress sperm motility and fertilising capacity of sperms.
- (3) They inhibit gametogenesis.
- (4) They make uterus unsuitable for implantation.

The association of histone H1 with a nucleosome

indicates -

- (1) The DNA double helix is exposed.
- (2) The DNA double helix is exposed.
- (3) The DNA double helix is exposed.
- (4) The DNA double helix is exposed.

14

Which of the following components provides sticky character to the bacterial cell?

- (1) Glycocalyx
- (2) Cell wall
- (3) Nuclear membrane
- (4) Plasma membrane

100. Mycorrhizae are the example of:

- (1) Mutualism
- (2) Fungistasis
- (3) Amensalism
- (4) Antibiosis

101. MALT constitutes about _____ percent of the lymphoid tissue in human body.

- (1) 10%
- (2) 50%
- (3) 20%
- (4) 70%

Which of the following is correctly matched for the product produced by them?

- (1) *Saccharomyces cerevisiae* : Ethanol
- (2) *Acetobacter aceti* : Antibiotics
- (3) *Methanobacterium* : Lactic acid
- (4) *Penicillium notatum* : Acetic acid

103. DNA fragments are:

- (1) Either positively or negatively charged depending on their size
- (2) Positively charged
- (3) Negatively charged
- (4) Neutral

105. Capacitation occurs in:

- (1) Female Reproductive tract
- (2) Males testis
- (3) Epididymis
- (4) Vas deferens

106. The genotypes of a Husband and Wife are $I^A I^B$ and $i i$.

Among the blood types of their children, how many different genotypes and phenotypes are possible?

- (1) 4 genotypes ; 4 phenotypes
- (2) 3 genotypes ; 3 phenotypes
- (3) 3 genotypes ; 4 phenotypes
- (4) 4 genotypes ; 3 phenotypes

107. With reference to factors affecting the rate of photosynthesis, which of the following statements is not correct?

- (1) Tomato is a greenhouse crop which can be grown in CO_2 - enriched atmosphere for higher yield
- (2) Light saturation for CO_2 fixation occurs at 10% of full sunlight
- (3) Increasing atmospheric CO_2 concentration up to 0.05% can enhance CO_2 fixation rate
- (4) C_3 plants respond to higher temperatures with enhanced photosynthesis while C_4 plants have much lower temperature optimum

108. Life cycle of *Ectocarpus* and *Fucus* respectively are:

- (1) Haplodiplontic, Haplontic
- (2) Haplontic, Diplontic
- (3) Diplontic, Haplodiplontic

110. Which of the following cell organelles is responsible for extracting energy from catabolism to form ATP?

- (1) Mitochondrion
- (2) Lysosome
- (3) Ribosome
- (4) Chloroplast

111. The vascular cambium normally gives rise to

- (1) Periderm
- (2) Phelloderm
- (3) Primary phloem
- (4) Secondary xylem

112. Which of the following is made up of dead cells?

- (1) Phloem
- (2) Xylem parenchyma
- (3) Collenchyma
- (4) Phellum

113. During DNA replication, Okazaki fragments are used to elongate:

- (1) The lagging strand away from the replication fork
- (2) The leading strand towards replication fork
- (3) The lagging strand towards replication fork
- (4) The leading strand away from replication fork

114. A temporary endocrine gland in the human body is:

- (1) Corpus allatum
- (2) Pineal gland
- (3) Corpus cardiacum
- (4) Corpus luteum

116. Among the following characters, which one was not considered by Mendel in his experiments on pea?

- (1) Pod - Inflated or Constricted
- (2) Stem - Tall or Dwarf
- (3) Trichomes - Glandular or non glandular
- (4) Seed - Green or Yellow

117. Select the mismatch:

- | | |
|----------------------|---------------|
| (1) <u>Equisetum</u> | Heterosporous |
| (2) <u>Pine</u> | Homologous |
| (3) <u>Cycas</u> | Homologous |
| (4) <u>Salvinia</u> | Heterosporous |

118. Which ecosystem has the maximum biomass?

- (1) Lake ecosystem
- (2) Forest ecosystem
- (3) Grassland ecosystem
- (4) Pond ecosystem

119. Zygotic meiosis is characteristic of:

- (1) Chlamydomonas
- (2) Marchantia
- (3) Fucus
- (4) Funaria

120. Which of the following options gives the correct sequence of events during mitosis?

- (1) condensation → arrangement at equator → centromere division → segregation → telophase
- (2) condensation → nuclear membrane

16

R

121. Transplantation of tissues/organs fails often due to non-acceptance by the patient's body. Which type of immune-response is responsible for such rejections?
- Physiological immune response
 - Autoimmune response
 - ☒ Cell-mediated immune response
 - Hormonal immune response
122. Viroids differ from viruses in having:
- ☒ RNA molecules without protein coat
 - DNA molecules with protein coat
 - DNA molecules without protein coat
 - RNA molecules with protein coat
123. Anaphase Promoting Complex (APC) is a protein degradation machinery necessary for proper mitosis of animal cells. If APC is defective in a human cell, which of the following is expected to occur?
- Recombination of chromosome arms will occur
 - Chromosomes will not condense
 - ☒ Chromosomes will be fragmented
 - Chromosomes will not segregate
124. Which among the following are the smallest living cells, known without a definite cell wall, pathogenic to plants as well as animals and can survive without oxygen?
- Nostoc
 - Bacillus
 - ☒ Penicillium
 - Mycoplasma
125. Artificial selection to obtain cows yielding higher milk output represents:
- stabilizing followed by disruptive as it stabilizes the population to produce higher yielding cows.
 - stabilizing selection as it stabilizes this character in the population.
 - ☒ directional as it pushes the mean of the character in one direction.
 - disruptive as it splits the population into two, one yielding higher output and the other lower output.
127. Asymptote in a logistic growth curve is obtained when:
- ☒ $K < N$
 - The value of 'r' approaches zero
 - $K = N$
 - $K > N$
128. In Bougainvillea thorns are the modifications of:
- Leaf
 - Stipules
 - Adventitious root
 - ☒ Stem
129. In case of poriferans, the spongocoel is lined with flagellated cells called:
- mesenchymal cells
 - ostia
 - oscula
 - ☒ choanocytes

R

17

131. Which of the following statements is correct?

- (1) The descending limb of loop of Henle is permeable to electrolytes.
 (2) ~~The ascending limb of loop of Henle is impermeable to water.~~
 (3) The descending limb of loop of Henle is impermeable to water.
 (4) The ascending limb of loop of Henle is permeable to water.

132. In case of a couple where the male is having a very low sperm count, which technique will be suitable for fertilisation?

- (1) Intracytoplasmic sperm injection
 (2) Intrauterine transfer
 (3) Gamete intracytoplasmic fallopian transfer
 (4) ~~Artificial Insemination~~

133. Which one of the following statements is not valid for aerosols?

- (1) They have negative impact on agricultural land
 (2) ~~They are harmful to human health~~
 (3) They alter rainfall and monsoon patterns
 (4) ~~They cause increased agricultural productivity~~

134. Hypersecretion of Growth Hormone in adults does not cause further increase in height, because:

- (1) Muscle fibres do not grow in size after birth.
 (2) Growth Hormone becomes inactive in adults.
 (3) ~~Epiphyseal plates close after adolescence.~~
 (4) Bones lose their sensitivity to Growth Hormone in adults.

135. Presence of plants arranged into well defined vertical layers depending on their height can be seen best in:

137. Myelin sheath is produced by:

- (1) Osteoclasts and Astrocytes
 (2) ~~Schwann Cells and Oligodendrocytes~~
 (3) Astrocytes and Schwann Cells
 (4) Oligodendrocytes and Osteoclasts

138. Flowers which have single ovule in the ovary and are packed into inflorescence are usually pollinated by:

- (1) Bat
 (2) Water
 (3) ~~Bee~~
 (4) Wind

139. Alexander Von Humbolt described for the first time:

- (1) Population Growth equation
 (2) Ecological Biodiversity
 (3) Laws of limiting factor
 (4) ~~Species area relationships~~

140. Which of the following are not polymeric?

- (1) Lipids
 (2) ~~Nucleic acids~~
 (3) Proteins
 (4) Polysaccharides

141. Select the mismatch:

- | | | |
|-------------------------------|---|----------------|
| (1) Rhizobium | - | Alfalfa |
| (2) Frankia | - | Alnus |
| (3) Rhodospirillum | - | Mycorrhiza |
| | - | Nitrogen fixer |

R 143. A disease caused by an autosomal primary non-disjunction is:

- (1) Sickle Cell Anemia
- (2) Down's Syndrome
- (3) ~~Klinefelter's Syndrome~~
- (4) Turner's Syndrome

144. Out of 'X' pairs of ribs in humans only 'Y' pairs are true ribs. Select the option that correctly represents values of X and Y and provides their explanation:

- (1) $X = 24, Y = 12$ True ribs are dorsally attached to vertebral column but are free on ventral side.
- (2) $X = 12, Y = 7$ True ribs are attached dorsally to vertebral column and ventrally to the sternum.
- (3) $X = 12, Y = 5$ True ribs are attached dorsally to vertebral column and sternum on the two ends.
- (4) $X = 24, Y = 7$ True ribs are dorsally attached to vertebral column but are free on ventral side.

145. A baby boy aged two years is admitted to play school and passes through a dental check-up. The dentist observed that the boy had twenty teeth. Which teeth were absent?

- (1) Molars
- (2) Incisors
- (3) Canines
- (4) ~~Pre-molars~~

147. Which cells of 'Crypts of Lieberkuhn' secrete antibacterial lysozyme?

- (1) Kupffer cells
- (2) Argentaffin cells
- (3) ~~Paneth cells~~
- (4) Zymogen cells

148. Spliceosomes are not found in cells of:

- (1) ~~Bacteria~~
- (2) Plants
- (3) Fungi
- (4) ~~Animals~~

149. Homozygous purelines in cattle can be obtained by:

- (1) mating of individuals of different species.
- (2) ~~mating of related individuals of same breed.~~
- (3) mating of unrelated individuals of same breed.
- (4) mating of individuals of different breed.

150. GnRH, a hypothalamic hormone, needed in reproduction, acts on:

- (1) posterior pituitary gland and stimulates secretion of LH and relaxin.
- (2) anterior pituitary gland and stimulates secretion of LH and oxytocin.
- (3) ~~anterior pituitary gland and stimulates secretion of LH and FSH.~~
- (4) posterior pituitary gland and stimulates secretion of oxytocin and FSH.

151. What is the criterion for DNA fragments movement

152. The DNA fragments separated on an agarose gel can be visualised after staining with :

- (1) ~~Ethidium bromide~~
- (2) Bromophenol blue
- (3) Acetocarmine
- (4) Aniline blue

153. Adult human RBCs are enucleate. Which of the following statement(s) is/are most appropriate explanation for this feature?

- (a) They do not need to reproduce
- (b) They are somatic cells
- (c) They do not metabolize
- (d) All their internal space is available for oxygen transport

Options :

- (1) (b) and (c)
- (2) Only (d)
- (3) Only (a)
- (4) (a), (c) and (d)

154. A dioecious flowering plant prevents both :

- (1) Cleistogamy and xenogamy
- (2) Autogamy and xenogamy
- (3) Autogamy and geitonogamy
- (4) Geitonogamy and xenogamy

155. Which statement is wrong for Krebs' cycle?

- (1) The cycle starts with condensation of acetyl

156. A gene whose expression helps to identify transformed cell is known as

- (1) Structural gene
- (2) ~~Selectable marker~~
- (3) Vector
- (4) Plasmid

157. Good vision depends on adequate intake of carotene-rich food.

Select the best option from the following statements.

- (a) ~~Vitamin A derivatives are formed from carotene.~~
- (b) The photopigments are embedded in the membrane discs of the inner segment.
- (c) ~~Retinal is a derivative of Vitamin A.~~
- (d) Retinal is a light absorbing part of all the visual photopigments.

Options:

- (1) (b), (c) and (d)
- (2) (a) and (b)
- (3) (a), (c) and (d)
- (4) (a) and (c)

158. Which of the following RNAs should be most abundant in animal cell?

- (1) mi-RNA
- (2) r-RNA
- (3) ~~t-RNA~~
- (4) m-RNA

159. Which among these is the correct combination of aquatic mammals?

- (1) ~~Trygon, Whales, Seals~~
- (2) Seals, Dolphins, Sharks
- (3) Dolphins, Seals, Trygon

R 161. Select the correct route for the passage of sperms in male frogs:

- (1) Testes → Vasa efferentia → Kidney → Bidder's canal → Urinogenital duct → Cloaca
- (2) Testes → Bidder's canal → Kidney → Vasa efferentia → Urinogenital duct → Cloaca
- (3) Testes → Vasa efferentia → Kidney → Seminal Vesicle → Urinogenital duct → Cloaca
- (4) ~~Testes → Vasa efferentia → Bidder's canal → Ureter → Cloaca~~

162. Which one of the following statements is correct, with reference to enzymes?

- (1) ~~Holoenzyme = Coenzyme + Co-factor~~
- (2) ~~Apoenzyme = Holoenzyme + Coenzyme~~
- (3) ~~Holoenzyme = Apoenzyme + Coenzyme~~
- (4) ~~Coenzyme = Apoenzyme + Holoenzyme~~

163. The pivot joint between atlas and axis is a type of:

- (1) ~~saddle joint~~
- (2) ~~fibrous joint~~
- (3) ~~cartilaginous joint~~
- (4) ~~synovial joint~~

164. Which of the following represents order of 'Horse'?

- (1) ~~Ferus~~
- (2) ~~Equidae~~
- (3) ~~Perissodactyla~~
- (4) ~~Caballus~~

165. Receptor sites for neurotransmitters are present on:

167. The water potential of pure water is:

- (1) More than one
- (2) ~~Zero~~
- (3) Less than zero
- (4) More than zero but less than one

168. The process of separation and purification of expressed protein before marketing is called:

- (1) Postproduction processing
- (2) Upstream processing
- (3) ~~Downstream processing~~
- (4) Bioprocessing

169. Double fertilization is exhibited by:

- (1) ~~Angiosperms~~
- (2) Gymnosperms
- (3) Algae
- (4) Fungi

170. If there are 999 bases in an RNA that codes for a protein with 333 amino acids, and the base at position 901 is deleted such that the length of the RNA becomes 998 bases, how many codons will be altered?

- (1) 333
- (2) 1
- (3) 11

172. Frog's heart when taken out of the body continues to beat for sometime.

Select the best option from the following statements.

- (a) Frog is a poikilotherm.
- (b) Frog does not have any coronary circulation.
- (c) Heart is "myogenic" in nature.
- (d) Heart is autoexcitable.

Options:

- (1) (c) and (d)
- (2) Only (c)
- (3) Only (d)
- (4) (a) and (b)

173. Which one of the following is related to Ex-situ conservation of threatened animals and plants?

- (1) Himalayan region
- (2) Wildlife Safari parks
- (3) Biodiversity hot spots
- (4) Amazon rainforest

174. Which of the following options best represents the enzyme composition of pancreatic juice?

- (1) lipase, amylase, trypsinogen, procarboxypeptidase
- (2) amylase, peptidase, trypsinogen, rennin
- (3) amylase, pepsin, trypsinogen, maltase
- (4) peptidase, amylase, pepsin, rennin

175. Which of the following in sewage treatment removes suspended solids?

- (1) Sludge treatment
- (2) Tertiary treatment
- (3) Secondary treatment

21

177. The hepatic portal vein drains blood to liver from:

- (1) Intestine
- (2) Heart
- (3) Stomach
- (4) Kidneys

178. Identify the wrong statement in context of heartwood:

- (1) It comprises dead elements with highly lignified walls
- (2) Organic compounds are deposited in it
- (3) It is highly durable
- (4) It conducts water and minerals efficiently

179. An important characteristic that Hemichordates share with Chordates is:

- (1) pharynx without gill slits
- (2) absence of notochord
- (3) ventral tubular nerve cord
- (4) pharynx with gill slits

180. Which one from those given below is the period for Mendel's hybridization experiments?

- (1) 1870 - 1877
- (2) 1856 - 1863
- (3) 1840 - 1850
- (4) 1857 - 1869

- o o -