

ject : Mathematics-III Branch: ECE, EEE,Civil. (2018-2019)


## **UNIT -I**

1(a) Solve the system of equations  $20x + y - 2z = 17$ ,  $3x + 20y - z = -18$ ,  $2x - 3y + 20z = 25$  by Gauss Jacobi method 5M

(b) Reduce the matrix A to normal form and hence find the rank of the matrix

$$A = \begin{pmatrix} 2 & -2 & 0 \\ 4 & 2 & 0 \\ 1 & -1 & 1 \end{pmatrix} \begin{matrix} 6 \\ 2 \\ 2 \end{matrix} \quad \text{5M}$$

2(a) Find the currents in the following circuits 5M



(b) solve the system of equations  $10x + y + z = 12$ ,  $2x + 10y + z = 13$  and  $2x + 2y + 10z = 14$  using Gauss-seidel method. 5M

3(a) Find the non singular matrices P and Q such that the normal form of A is PAQ where

$$A = \begin{pmatrix} 1 & 3 & 6 \\ 1 & 4 & 5 \\ 1 & 5 & 4 \end{pmatrix} \begin{matrix} -1 \\ 1 \\ 3 \end{matrix} \quad \text{Hence find its rank.} \quad \text{5M}$$

(b) Find the rank of  $\begin{pmatrix} 2 & 3 & -1 & -1 \end{pmatrix}$

$\begin{pmatrix} 1 & -1 & -2 & -4 \end{pmatrix}$  after reducing it to Echelon form

$\begin{pmatrix} 5M & 3 & 1 \end{pmatrix}$  3

$\begin{pmatrix} -2 \end{pmatrix}$

$\begin{pmatrix} 6 & 3 & 0 & -7 \end{pmatrix}$

4(a) Find the values of 'a' and 'b' for which equation  $x + y + z = 3$ ;  $x + 2y + 2z = 6$ ;  $x + ay + 3z = b$  have unique solutions. 5M

**Subject : Mathematics-III    Branch: ECE, EEE,Civil. (2018-2019)**

---

(b) using Gauss-jordan method solve the system of equations  $2x + y + z = 10$ ,  $3x + 2y + 3z = 18$ ,  $x + 4y + 9z = 16$ . 5M

5(a) Reduce the matrix A to normal form and hence find the rank of the matrix. 5M

$$A = \begin{pmatrix} 2 & 1 & 3 & 4 \\ 0 & 3 & 4 & 1 \\ 2 & 3 & 7 & 5 \end{pmatrix}$$

(b) prove that the following set of equations are consistent and solve them.

$$2x - y - z = 2 ; x + 2y + z = 2 ; 4x - 7y - 5z = 2 ;$$

## **UNIT - II:**

1(a) Find Eigen values and Eigen vectors of  $\begin{pmatrix} 6 & -2 & 2 \\ -2 & 3 & -1 \\ 2 & -1 & 3 \end{pmatrix}$  5M

(b) Reduce the quadratic form  $10x^2 + 2y^2 + 5z^2 - 4xy - 10xz + 6yz$  into canonical form and find the nature, rank, index and signature. 5M

2(a) Reduce the Quadratic form  $3x_1^2 + 3x_2^2 + 3x_3^2 + 2x_1x_2 + 2x_1x_3 - 2x_2x_3$  into sum of squares form by an orthogonal transformation and give the matrix transformation. 5M

(b) Find  $A^{-1}$  using Cayley-Hamilton theorem, where  $A = \begin{pmatrix} 1 & 2 & 3 \\ 2 & 4 & 5 \\ 3 & 5 & 6 \end{pmatrix}$  5M

3(a) what is the nature of the quadratic form  $XTAX$  5M  
 , if  $A = \begin{pmatrix} 1 & 1 & 3 \\ 5 & 1 & 1 \\ 3 & 1 & 1 \end{pmatrix}$

(b) Prove that if  $\tau$  is an Eigen value of a matrix A then  $\tau^{-1}$  is an Eigen value of matrix  $A^{-1}$  if it exists. 5M

ject : Mathematics-III Branch: ECE, EEE, Civil. (2018-2019)

4(a) If  $\tau$  is an Eigen value of a non singular matrix A then show that  $\frac{|A|}{\tau}$  is an Eigen value of matrix adjoint A(adjA) 5M

(b) Find  $A^{-1}$  using Cayley -Hamilton theorem, where  $A = \begin{pmatrix} 1 & 2 & -1 \\ 1 & -2 & 2 \\ 2 & -1 & 1 \end{pmatrix}$  5M

5(a) state Cayley-Hamilton theorem and find  $A^8$  if  $A = \begin{pmatrix} 1 & 2 \\ 2 & -1 \end{pmatrix}$  2

(b) Diagonalize the matrix  $\begin{pmatrix} 2 & 2 & 1 \\ 1 & 3 & 1 \\ -1 & 2 & 2 \end{pmatrix}$  5M

6(a) Show that if  $\lambda$  is an eigen value of A, then prove that the eigen value of  $= a_0 A^2 + a_1 A + a_2 I$  is  $a_0 \lambda^2 + a_1 \lambda + a_2$ . 5M

(b) Is the matrix  $\begin{pmatrix} 3 & 10 & 5 \\ -3 & -4 & -2 \\ 2 & 5 & 7 \end{pmatrix}$  diagonalizable ? 5M

### UNIT -III :

1(a) Evaluate  $\int_{y=0}^2 \int_{x=0}^3 xy \, dx dy$  5M

(b) Evaluate  $\int_0^a \int_a^{2a-x} xy^2 \, dy dx$  by changing the order of integration. 5M

2(a) Evaluate  $\int_{x=0}^a \int_{y=0}^b (x^2 + y^2) dy dx$  5M

(b) By changing the order of integration , evaluate  $\int_0^1 \int_0^{1-x} y^2 dx dy$  5M

3(a) Find the moment of inertia about the initial line of the cardioid  $= a(1 - \cos\theta)$ . 5M

(b) Evaluate  $\int dx \, dy \, dz$  V is the finite region of space formed by the planes

$x = y = z = 0$  and  $2x + 3y + 4z = 12$  5M

4(a) Evaluate  $\int_0^{\pi} \int_0^{a \sin \theta} \int_0^{\sqrt{a^2 - r^2}} r \, dr \, r \, d\theta$  . 5M

### I B.TECH IISem Question Bank

**Subject : Mathematics-III    Branch: ECE, EEE, Civil. (2018-2019)**

---

(b) Evaluate  $\int_2^4 \int_{\frac{y}{2}}^y \frac{y}{x^2+y} dx dy$  5M

5(a) Evaluate  $\int_0^a \int_x^a (x^2 + y^2) dy dx$  by changing the order of integration. 5M

(b) Evaluate  $\int_0^1 \int_0^{1-x} (x^2 + y^2) x dy$  in the positive quadrant for which  $x + y \leq 1$ . 5M

### UNIT - IV:

1(a) Show that  $\int_0^\infty x e^{-x^3} dx = \frac{\pi}{3}$  5M

(b) Show that  $\int_0^\infty \frac{x^m}{(a+bx)^{m+n}} dx = \frac{\beta(m,n)}{a^n b^m}$  5M

2(a) Prove that  $\int_0^\pi \frac{1}{\sin x} dx = \pi$  5M

(b) Prove that  $\int_0^\pi \frac{\cos x}{\cos x} dx = \pi$  5M

3(a) Evaluate  $\int_0^1 \frac{x^4(1+x)}{(1+x)^{15}} dx$  5M

(b) Evaluate  $\int_5^7 (x-5)^6 (7-x)^3 dx$  using  $\beta$  and  $\Gamma$  functions. 5M

4(a) Show that  $\Gamma(2) = \pi$  5M

(b) Show that  $B(m, n) = \frac{\Gamma(m)\Gamma(n)}{\Gamma(m+n)}$  where  $m > 0, n > 0$ . 5M

5(a) Evaluate  $\int_0^2 \sin 5\theta \cos 7\theta d\theta$ . 5M

(b) Evaluate  $\int_0^1 x^4 \log \frac{1}{x} dx$  5M

6(a) Evaluate  $\int_0^1 \frac{x dx}{1-x^5}$ . 5M

(b) Evaluate  $\int_0^\infty x^2 e^{-x^2} dx$ . 5M

**Subject : Mathematics-III    Branch: ECE, EEE,Civil. (2018-2019)**

---

## **UNIT- V :**

1(a) Find unit normal vector to the surfaces  $x^2y + 2xz^2 = 8$  at the point (1,0,2) 5M (b) Prove that  $\text{div. } \text{grad} r^m = +1 r^{m-2}$  5M

2(a) Find the angle between the surfaces  $x^2 + y^2 + z^2 = 9$  and  $z = x^2 + y^2 - 3$  at the point (2, -1, 2). 5M

(b) If  $A$  is irrotational, evaluate  $\text{div } A \times r$  where  $r = xi + yj + zk$

5M 3(a) Find  $\text{div} F$ , where  $F = r^n r$ . Find  $n$  if it is solenoidal.

5M

(b) Show that  $F = y^2 - z^2 + 3yz - 2x i + (3xz + 2xy) j + 3xy - 2xzy + 2z k$  is both irrotational and Solenoidal. 5M

4(a) Find the directional derivative of  $\phi = x^2yz + 4xz^2$  at (1,-2,-1) in the direction of  $2i - j - 2k$  5M

(b) Show that the vector  $2 - yz i + y^2 - 2x j + (z^2 - xy)k$  is irrotational and find its scalar potential. 5M

5(a) Show that  $\nabla^2 f(r) = \frac{d^2 f}{dr^2} + \frac{2}{r} \frac{df}{dr}$  or  $f''(r) + \frac{2}{r} f'(r)$  where  $r = |r|$ . 5M

(b) Prove that  $\text{div } (a \times b) = b \cdot \text{curl} a - a \cdot \text{curl} b$  5M

## **UNIT - VI**

1(a) Use Greens theorem to evaluate  $(2xy - x^2)x + (x^2 + y^2)dy$ , where  $c$  is the closed curve of the region bounded by  $y = x^2$  and  $y^2 = x$ . 5M

(b) State Gauss divergence theorem and verify  $\text{div } F = 4xzi - y^2j + zyk$  over the cube

$x = 0$  to  $1, y = 0$  to  $1, z = 0$  to  $1$ . 5M

2(a) Evaluate  $\int_C (ex dx + 2ydy - dz)$  where  $c$  is the curve  $x^2 + y^2 = 9, z = 2$ , by using Stoke's theorem. 5M

(b) Compute  $\int_S (ax^2 + by^2 + cz^2) ds$  over the surface of the sphere  $x^2 + y^2 + z^2 = 1$ . 5M

### I B.TECH IISem Question Bank

Subject : Mathematics-III Branch: ECE, EEE, Civil. (2018-2019)

---

3(a) If  $F = 3x^2 + 6 - 14yzj + 20xzk$  then evaluate  $F \cdot dr$  from (0,0,0) to (1,1,1) along  $x = t, y = t^2, z = t^3$ .

5M

(b) Apply stoke's theorem to evaluate  $ydx + zdy + xdz$  where c is the curve of intersection of the sphere  $x^2 + y^2 + z^2 = a^2$  and  $x + z = a$ .

5M

4(a) State stoke's theorem, and verify for  $F = x + y i + (y + z)j - xk$  and S is the Surface of the plan  $2x + y + z = 2$  which is in the first octant.

5M

(b) Using divergence theorem to evaluate  $\oint_S F \cdot ds$  where  $F = x^3i + y^3j + z^3k$  and S is surface of the sphere  $x^2 + y^2 + z^2 = r^2$ . 5M

5(a) Verify Green's theorem in the plan for  $x^2 - xy^3 dx + (y^2 - 2xy)dy$  where C is the square with vertices (0,0), (2,0), (2,2), (0,2) 5M

(b) Evaluate by Green's theorem  $\int_C y - \sin x dx + \cos x dy$  where C is the triangle enclosed by the lines  $y = 0, x = \frac{\pi}{2}, y = 2x$ . 5M