www.FirstRanker.com

www.FirstRanker.com

R16 Code No: 133BX JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY HYDERABAD B.Tech II Year I Semester Examinations, November/December - 2018 THERMODYNAMICS (Common to ME, AE, MSNT) Time: 3 Hours **Note:** This question paper contains two parts A and B. Part A is compulsory which carries 25 marks. Answer all questions in Part A. Part B consists of 5 Units. Answer any one full question from each unit. Each question carries 10 marks and may have a, b, c as sub questions. PART- A (25 Marks) 1.a) What is an ideal gas? [2] b) What is the difference between the work transfer and heat transfer? [3] What is PMM-I. Justify with reason whether it is feasible or not? c) [2] d) A heat pump takes up heat from cold outdoors and transfers it to warmer indoor space. Is this a violation of second law of thermodynamics? Explain. [3] What is the difference between critical point and triple point? [2] Is it true that water boils at higher temperatures at higher pressures? Explain. [3] f) Define the degree of saturation. What are its limiting values? [2] g) h) Distinguish between wet bulb temperature and thermodynamic wet bulb temperature. [3] Draw the P-V and T-S diagram of Lenoir cycle. i) Compare Otto and Dual cycle for the same maximum pressure and Temperature. [3] j) Explain the concept of ideal gas temperature scale. 2.a) b) A milk chilling unit can remove heat from the milk at a rate of 41.87 MJ/H. Heat leaking into milk from surroundings at an average rate of 4.187 MJ/h. Find the time required for cooling a batch of 500 kg of milk from 45°C to 5°C. Take the C_P of milk to be 4.187 kJ/kg K. $[5 \pm 5]$ Explain what do you understand by concept of continuum? How will you define density and pressure using this concept? A balloon is filled with air (200kPa and 300K) such that it becomes as sphere of diameter b) 1m. It is then gradually heated till the pressure rises to 500 kPa. Determine the amount of work done during the process, assuming that the pressure inside the balloon is proportional to the diameter of the balloon. [5+5]Is the Third law of thermodynamics, an extension of second law? Is it an independent law of nature? Explain. b) Two bodies of equal heat capacities C and temperatures T₁ and T₂ form an adiabatically closed system. What will be the final temperature be if one lets this system come to equilibrium (i) freely; (ii) reversibly. [5+5] OR

www.FirstRanker.com

www.FirstRanker.com

