

www.FirstRanker.com

www.FirstRanker.com

Code No: R1631013

**R16** 

**SET - 1** 

# III B. Tech I Semester Supplementary Examinations, May - 2019 STRUCTURAL ANALYSIS – II

(Civil Engineering)

Time: 3 hours Max. Marks: 70

Note: 1. Question Paper consists of two parts (Part-A and Part-B)

2. Answer **ALL** the question in **Part-A** 

3. Answer any FOUR Ouestions from Part-B

### PART -A

What is the effect of temperature on three hinged and two hinged arch? 1. a) [2M]

Why is the moment distribution method called displacement method. b) [2M]

c) Mention a few applications of cables. [2M]

What are the assumptions in the Cantilever method of analysis in relation lateral d) [3M] loads? When does this method is most suitable multi storied structures.

What are the properties of stiffness matrix? e) [3M]

Of all, which methods of structural analysis are more accurate and give your f) [2M]justification.


## **PART-B**

2. State and prove Eddy's theorem? a)


[7M] [7M]

- A two hinged segmental arch of constant section is of horizontal span 24m and b) central rise 6m. Calculate the horizontal thrust induced due to a rise in temperature of 30°C if the coefficient of expansion  $\alpha = 12 \times 10^{-6}$ / oC and  $E = 200 \text{ kN/mm}^2$ . If the rib section is symmetrical and 1m deep. Find the max change in bending stress due to rise in temperature.
- 3. Explain along with the assumptions, the Portal method for analyzing a building frame a) [7M] subjected to horizontal forces by taking an example

  - Analyze the frame shown in figure, for forces in top storey by Cantilever method. b) [7M] Assume that all the columns have equal area of cross-section for the purpose of analysis.



4. Determine the tension in each segment of the cable shown in the figure below. Also, a) [7M] what is the dimension h?





### www.FirstRanker.com

### www.FirstRanker.com


Code No: R1631013

**R16** 


SET - 1

[7M]


- b) A cable ABC of uniform cross section is used to span a distance of 40m. The cable is subjected to uniformly distributed load of 10 kN/m run. The left support 'A' is below the right support 'B' by 2 m and the lowest point on the cable 'C' is located below left support 'A' by 1 m. Evaluate the reactions and the maximum and minimum values of tension in the cable.
- 5. a) Analyse the continuous beam shown in Figure by the moment distribution method. [7M] Draw the bending moment diagram and shear force diagram. The beam is of uniform section.




- b) Explain the two cycle moment distribution method for maximum negative moments [7M] at various joints of a frame with an example
- 6. a) Analyse the Continuous beam shown in figure using Kani's method.



- b) Explain the Kani's method for the frames with columns of equal height and subjected [7M] to horizontal loads with fixed ends and also hinged ends.
- 7. a) Using the force method, analyse the continuous beam shown in figure, treating the [7M] bending moments at B&C as redundants. Hence calculate support reactions.EI is constant.



b) Using the displacement method, analyse the continuous beam shown in figure, if spans AB& BC carry a u.d.l. of p/unit length. Hence calculate bending moments at B& C. EI is constant.



\*\*\*\*