

Total No. of Pages : 03

Total No. of Questions : 10

B.Pharmacy (Sem.-1)
REMEDIAL MATHEMATICS
Subject Code : PHM-112
Paper ID : [D0102]

Time : 3 Hrs.

Max. Marks : 80

INSTRUCTIONS TO CANDIDATES :

1. **SECTION-A** is **COMPULSORY** consisting of **FIFTEEN** questions carrying **TWO** marks each.
2. **SECTION-B** contains **FIVE** questions carrying **FIVE** marks each and students have to attempt any **FOUR** questions.
3. **SECTION-C** contains **FOUR** questions carrying **TEN** marks each and students have to attempt any **THREE** questions.

SECTION-A

1. Solve the following :

- a) Solve the equation: $5x^2 + 15 = 0$
- b) If $A = \begin{bmatrix} 1 & 3 \\ 3 & 4 \end{bmatrix}$ and $A^2 - kA - 5I_2 = O$, then the value of k is?
- c) Solve for x : $\begin{vmatrix} x & 3 \\ 5 & 2x \end{vmatrix} = \begin{vmatrix} 5 & -4 \\ 5 & 3 \end{vmatrix}$
- d) Find the Median of the given data 4,6,7,11,18.
- e) Find the mean of first ten odd natural numbers.
- f) Calculate the value of mode for the following series :
- 10,12,17,12,10,12,16,11
- g) Prove that : $\frac{\cot^2 \theta}{(1 - \operatorname{cosec} \theta)^2} = \frac{1 + \sin \theta}{1 - \sin \theta}$

- h) If $4 \sin \theta = 3$, find the value of $\frac{\sec \theta + 3 \tan \theta}{2 \sec \theta - 7 \tan \theta}$
- i) Find the relation that must exist between x and y so that (x, y) is equidistant from $(6, -1)$ and $(2, 3)$
- j) Find the equation of the locus of a point which moves so that its distance from $(3, 2)$ is twice its distance from $(1, 1)$.
- k) Find the equation of the line which passes through $(2, 5)$ and cuts off equal intercepts on the axes.
- l) Differentiate with respect to x : $x^3 + 2x^2 + 7$
- m) If $y = e^{3 \log x}$ find $\frac{dy}{dx}$
- n) Integrate the function with respect to x the function $x^2 + 7x + 5$
- o) Evaluate $\int \frac{1 - \tan x}{1 + \tan x} dx$

SECTION-B

2. Solve the linear equations, if consistent, $x + 3y = 2$, $2x + 6y = 7$ with the help of determinants.
3. The following table gives the distribution of marks secured by some students in a certain examination :

Marks	0-20	21-30	31-40	41-50	51-60	61-70	71-80
No. of Students	42	38	120	84	48	36	31

Find the median marks.

4. Prove that $\frac{\sec 8A - 1}{\sec 4A - 1} = \frac{\tan 8A}{\tan 2A}$.
5. Find the equation of the line passing through (-4,-5) and perpendicular to the line joining (1,2) and (5,6).
6. If $e^x + e^y = e^{x+y}$, show that $\frac{dy}{dx} + e^{y-x} = 0$.

SECTION-C

7. Find A^{-1} if $A = \begin{bmatrix} 1 & 2 & -3 \\ 2 & 3 & 2 \\ 3 & -3 & -4 \end{bmatrix}$
8. Find the mean for the following frequency distribution by Step- Deviation Method

Class- Interval	84-90	90-96	96-102	102-108	108-114
Frequency	8	12	15	10	5

9. Find the equations of the lines which pass through (4,5) and make equal angles with the lines $5x-12y+6=0$ and $3x=4y+7$
10. Evaluate :
- a) $\int x \cos^2 x dx$
- b) Differentiate with respect to x the function

$$y = \frac{1 + 2 \sec x}{2 + 5 \sec x}$$