

Q. No. 1 0052001	Pushing fluid out of the blood stream determining overall fluid movement across the capillary wall, is called-
Option A	Hydrostatic pressure
Option B	osmotic pressure
Option C	Diffusion
Option D	Vasoconstriction
Correct Option	A

Q. No. 2 0052002	The valve prevents the backflow of blood into the right ventricle when the ventricular valve muscle relaxes-
Option A	Tricuspid valve
Option B	Bicuspid valve
Option C	Pulmonary valve
Option D	Pulmonary artery
Correct Option	C

Q. No. 3 0052003	Which of the following is not the true regarding the GI Tract regulation?
Option A	The myenteric plexus regulates GI tract motility
Option B	The submucosal plexus regulates GI Tract secretion
Option C	The neurons of the enteric nervous system (ENS) can not function independently and are regulated by autonomic nervous system.
Option D	Parasympathetic fibres increase the activity of ENS neurons while sympathetic neurons inhibit them
Correct Option	C

Q. No. 4 0052004	Which condition is responsible for inspiration?
Option A	Dilatation of intercostals muscles
Option B	Contraction of intercostals muscles
Option C	Contraction of diaphragm
Option D	Both (Contraction of intercostals muscles) & (Contraction of diaphragm)
Correct Option	D

Q. No. 5 0052005	"Primary immune response"-the correct statement is-
Option A	Involves IgG
Option B	Antibody producing cells-memory B Cell
Option C	No lag period
Option D	Slow and sluggish
Correct Option	D

Q. No. 6 0052006	"Klebs Loeffler bacillus" is the name of-
Option A	Streptococci
Option B	Salmonella typhi
Option C	Corynebacterium diptheriae

Option D	Meningococci	www.FirstRanker.com	www.FirstRanker.com
Correct Option	C		

Q. No. 7 0052007	Which is the correct one "theory of emotion"?
Option A	Canon-bard theory
Option B	McClelland's theory
Option C	Frau'd theory
Option D	Erikson's theory
Correct Option	A

Q. No. 8 0052008	"Profound mentally retarded"-when the IQ Score is-
Option A	35-49
Option B	50-70
Option C	20-34
Option D	below 20
Correct Option	D

Q. No. 9 0052009	The 'ectomorphy personality body type"-which is the correct-
Option A	Large, viscera, soft body
Option B	socialise
Option C	Tall, thin,and fragile
Option D	strong muscular
Correct Option	C

Q. No. 10 0052010	Who has classified Type A and Type B personality-
Option A	Allport
Option B	Hens eyesanch
Option C	Carl jung
Option D	Sheldon
Correct Option	C

Q. No. 11 0052011	Thinking is also referred as-
Option A	Motivation
Option B	cognition
Option C	Emotions
Option D	Perceptions
Correct Option	B

Q. No. 12 0052012	In a situation, in which a person is faced with demands from two or more roles-
Option A	Role distance
Option B	Role playing
Option C	Role conflict
Option D	Role-set

Q. No. 13 0052013	The term-'Cultural diffusion'-which is the correct one?
Option A	Spreading of cultural attributes through different cultural groups
Option B	Immigrants comes to accept the culture
Option C	Socialisation
Option D	William F. Ogburn
Correct Option	A

Q. No. 14 0052014	The seat of glycolysis and pentose phosphate pathway is-
Option A	Mitochondria
Option B	Endoplasmic reticulum
Option C	Cytosol
Option D	Golgi bodies
Correct Option	C

Q. No. 15 0052015	Glycosuria occurs when the venous blood glucose exceeds-
Option A	140-150mg/dl
Option B	150-160mg/dl
Option C	160-170mg/dl
Option D	170-180mg/dl
Correct Option	C

Q. No. 16 0052016	Tissues in histopathology are carried out in
Option A	10% buffered formation
Option B	Normal saline
Option C	2% glutaraldehyde
Option D	Camay's fixative
Correct Option	A

Q. No. 17 0052017	Serial HCG Test is used to diagnose the following condition?
Option A	Ca cervix
Option B	Ca vagina
Option C	Ca endometrium
Option D	Choriocarcinoma
Correct Option	D

Q. No. 18 0052018	Jaggery is rich in-
Option A	Calcium
Option B	Iron
Option C	Folic acid
Option D	Vit c
Correct Option	B

Q. No. 19 0052019	"Bery bery " syndrome is caused in which vitamin deficiency?
Option A	Vit. B5
Option B	Vit. B6
Option C	Vit. B1
Option D	Vit. B2
Correct Option	C

Q. No. 20 0052020	Endemic flurosis occurs when fluorine present in water-
Option A	1-3mg/lit
Option B	3-5mg/lit
Option C	5-7mg/lit
Option D	7-9mg/lit
Correct Option	B

Q. No. 21 0052021	How much extra kcals of energy is required in a lactating mother from 0-6 months of nursing the child?
Option A	+350kcal
Option B	+450kcal
Option C	+550kcal
Option D	+650kcal
Correct Option	C

Q. No. 22 0052022	One of the following is not the typical feature of kwashiorkor?
Option A	Muscle wasting
Option B	Severe loss of subcutaneous fat
Option C	Moon face
Option D	Usually good appetite
Correct Option	C

Q. No. 23 0052023	Which among the following data will give more accurate information regarding an end stage renal disease client's fluid status-
Option A	Daily weight checking of the client
Option B	Intake and output chart
Option C	Electrolyte level
Option D	Bowel movement
Correct Option	B

Q. No. 24 0052024	1 Teaspoon =-----ml?
Option A	1ml
Option B	3ml
Option C	5ml
Option D	7ml
Correct Option	C

Q. No. 25 0052025	Gradual increase in rate and depth of respiration is known as-
Option A	Hyperventilation
Option B	Hypoventilation
Option C	Kussmaul respiration
Option D	Chene-stoke
Correct Option	C

Q. No. 26 0052026	Physician ordered oral as well as nasal suction to a client, what you will do suction first?
Option A	Nose
Option B	Mouth
Option C	Where secretion more
Option D	Where secretion less
Correct Option	A

Q. No. 27 0052027	Identify the isotonic fluid among the following?
Option A	0.9% NS
Option B	5% Dextrose
Option C	RL
Option D	all the above
Correct Option	D

Q. No. 28 0052028	Smokey brown colour urine suggest the presence of -----in urine?
Option A	Bile pigment
Option B	Blood pigment
Option C	Small amount of blood
Option D	high level of protein
Correct Option	B

Q. No. 29 0052029	Cleaning the bed sore has to be done from-
Option A	Inner to outer
Option B	Outer to inner
Option C	Wound part near to the care giver first
Option D	All surface at a time
Correct Option	B

Q. No. 30 0052030	Straining during defecation causes-
Option A	Polyp's
Option B	Diarrhoea
Option C	Haemorrhoids
Option D	Constipation
Correct Option	C

Q. No. 31 0052031	The most reliable way to assess the respiratory status of a patient is-
----------------------	--

Option A	Observe the chest rising and falling	www.FirstRanker.com	www.FirstRanker.com
Option B	Listen and feel the air movement		
Option C	Use cardiac monitor		
Option D	Count respiration for 10 second		
Correct Option	B		

Q. No. 32 0052032	Level of consciousness of a client is assess using -
Option A	Lund browder method
Option B	Braden scale+GCS Scale
Option C	GCS Scale
Option D	Lund browder method +GCS Scale
Correct Option	C

Q. No. 33 0052033	The term gavage indicates-
Option A	Administration of a liquid feeding into the stomach
Option B	Visual examination of the stomach
Option C	Irrigation of the stomach with a solution
Option D	A surgical opening through the abdomen to the stomach
Correct Option	A

Q. No. 34 0052034	Appropriate distance to be maintained between eye and dropper while instilling eye drops is-
Option A	1-2 cm
Option B	3-4 cm
Option C	4-6 cm
Option D	6-8 cm
Correct Option	A

Q. No. 35 0052035	In ABG analysis, which parameters are assessed-
Option A	Sodium bicarbonate, pH
Option B	Sodium bicarbonate, carbon dioxide, oxygen, pH
Option C	Sodium bicarbonate, carbon dioxide, pH
Option D	Carbon dioxide, oxygen, pH
Correct Option	B

Q. No. 36 0052036	The incision site of tracheostomy are-
Option A	1 st & 2 nd tracheal ring
Option B	2 nd & 3 rd tracheal ring
Option C	5 th tracheal ring
Option D	6 th tracheal ring
Correct Option	B

Q. No. 37 0052037	A nurse is caring for a 9 year old child who underwent to tonsillectomy , which of the following observation by the nurse is most concerned?
Option A	30ml of dark brown secretion

Option B	Heart rate of 90 beats/min	www.FirstRanker.com	www.FirstRanker.com
Option C	Infrequent swallowing		
Option D	Expectorating bright red secretion		
Correct Option	D		

Q. No. 38 0052038	Patient with colostomy should be advised to eat-
Option A	Bland diet
Option B	Food low in fibre
Option C	Everything they ate, before surgery but will avoid the foods that causes gas
Option D	Soft foods
Correct Option	C

Q. No. 39 0052039	A major causative organism for peptic ulcer is-
Option A	Escherichia coli
Option B	streptococci
Option C	Staphylococcus
Option D	Helicobacter pylori
Correct Option	D

Q. No. 40 0052040	The most common early symptom of laryngeal cancer is-
Option A	Dysphagia
Option B	Hoarseness of voice
Option C	Airway obstruction
Option D	Pneumothorax
Correct Option	B

Q. No. 41 0052041	All of the following factors increases gastric motility-
Option A	Abdominal distension
Option B	Fear
Option C	Stress
Option D	Vagotomy
Correct Option	A

Q. No. 42 0052042	The most common AIDS related neoplasm is -
Option A	Non-hodgkin lymphoma
Option B	Cervical cancer
Option C	Kaposi's sarcoma
Option D	Hodgkin lymphom
Correct Option	C

Q. No. 43 0052043	Which of the following characteristics indicates protein deficiency in a client-
Option A	Spoon shaped nails
Option B	Increased bleeding time

Option C	Negative nitrogen balance	www.FirstRanker.com	www.FirstRanker.com
Option D	Positive nitrogen balance		
Correct Option	C		

Q. No. 44 0052044	The light sensitive and pigmented layer of tissue in the eye is-
Option A	Lens
Option B	Retina
Option C	Cornea
Option D	Iris
Correct Option	B

Q. No. 45 0052045bladder is expected when a patient is experiencing spinal shock-
Option A	Spastic
Option B	Normal
Option C	Atonic
Option D	Un controlled
Correct Option	C

Q. No. 46 0052046	The nurse received a patient from cath lab following cardiac catheterisation which among the following is the priority nursing action?
Option A	Assess the pain
Option B	Administered ordered medication
Option C	Check distal site pulse
Option D	Check level of consciousness
Correct Option	C

Q. No. 47 0052047	Complication of bronchiectasis is-
Option A	Cerebral abscess
Option B	Lung abscess
Option C	Amyloidosis
Option D	All the above
Correct Option	D

Q. No. 48 0052048	Identify the pulmonary consolidation among the following-
Option A	Dullness
Option B	Increased fremitus
Option C	Crackles
Option D	All the above
Correct Option	D

Q. No. 49 0052049	Highest oxygen concentration will be delivered by-
Option A	Nasal catheter
Option B	Nasal cannula
Option C	Partial non-rebreather mask

Option D	Simple O ₂ mask	www.FirstRanker.com	www.FirstRanker.com
Correct Option	C		

Q. No. 50 0052050	Jadu is suffering from peptic ulcer, during his discharge counselling educate her to avoid-
Option A	Coffee and cola
Option B	Alcohol
Option C	Spicy food item
Option D	All the above
Correct Option	D

Q. No. 51 0052051	Which of the following is a complication of splenectomy?
Option A	Cholecystitis
Option B	Pancreatitis
Option C	Appendicitis
Option D	Gastritis
Correct Option	B

Q. No. 52 0052052	Pre operative OT for appendectomy NOT includes-
Option A	Enema stat
Option B	Consent
Option C	Removal jewelleryes
Option D	Skin preparation
Correct Option	A

Q. No. 53 0052053	Amount of blood filtered in renal capsule per minute is known as-
Option A	Urine/minute
Option B	Tidal volume
Option C	Blood flow/minute
Option D	GFR
Correct Option	D

Q. No. 54 0052054	The sensation of pain that is described most commonly by the patients with angina is-
Option A	Knifelike
Option B	Heaviness
Option C	Sharp
Option D	Tearing
Correct Option	B

Q. No. 55 0052055	The first choice of drug for treating MI?
Option A	Streptomycin
Option B	Streptokinase
Option C	Nitro-glycerine
Option D	Heparin

Q. No. 56 0052056	Which of the following drug is used to prevent blood clotting during hemodialysis procedure-
Option A	Aspirin
Option B	Heparin
Option C	Protamin sulphate
Option D	Coumadin
Correct Option	B

Q. No. 57 0052057	Dopamine is preferred in the management of shock, because it-
Option A	Decreases cardiac output
Option B	Has prolonged action
Option C	Peripheral vasoconstriction effect
Option D	Has renal vasodilatory effect
Correct Option	D

Q. No. 58 0052058	The effect of the drug on parasympathetic function declines rapidly in all organs except-
Option A	Eye
Option B	Heart
Option C	Smooth muscle organs
Option D	Glands
Correct Option	A

Q. No. 59 0052059	Exposure to noise above which of the following db level causes permanent hearing loss-
Option A	>60db
Option B	>90db
Option C	>100db
Option D	>160db
Correct Option	C

Q. No. 60 0052060	Registration of pregnant women within 12 weeks is the primary responsibility of
Option A	ASHA
Option B	Gram sevika
Option C	ANM
Option D	AWW
Correct Option	A

Q. No. 61 0052061	Transport host is one which -
Option A	Parasite passes its sexual stage
Option B	Parasite remains asexual
Option C	Organism remain alive but does not undergo development
Option D	Life cycle is not complete
Correct Option	C

Q. No. 62 0052062	Outbreak of disease in bird population-
Option A	Epidemic
Option B	Endemic
Option C	Epornithic
Option D	Zoonoses
Correct Option	C

Q. No. 63 0052063	Chain of spreading of malaria is-
Option A	Man-arthropod-man
Option B	Mammal-bird-man
Option C	Man-pig-man
Option D	Bird-arthropod-man
Correct Option	A

Q. No. 64 0052064	BCG is-
Option A	Inactive vaccine
Option B	Live attenuated vaccine
Option C	Killed vaccine
Option D	Toxoides
Correct Option	B

Q. No. 65 0052065	Negri bodies were found in which disease condition?
Option A	Measles
Option B	Rabies
Option C	Rubella
Option D	Pertusis
Correct Option	B

Q. No. 66 0052066	As per RCH, The first referral unit is-----
Option A	District hospital
Option B	PHC
Option C	CHC
Option D	Sub centre
Correct Option	C

Q. No. 67 0052067	Most potential agent that can be used in bioterrorism-
Option A	Viral encephalitis
Option B	TB
Option C	Clostridium botullinum
Option D	Brucellosis
Correct Option	C

Q. No. 68 0052068	Following are the elements of primary health care, except-
Option A	Health education
Option B	Intersectoral coordination
Option C	Cost effectiveness
Option D	Provision of essential drug
Correct Option	C

Q. No. 69 0052069	Common side effect of cu-T.
Option A	Pain
Option B	Bleeding
Option C	Vaginal discharge
Option D	Pelvic inflammation
Correct Option	B

Q. No. 70 0052070	Contraindications for OCP Use-
Option A	Thromboembolism
Option B	Liver disease
Option C	Breast cancer
Option D	All the above
Correct Option	D

Q. No. 71 0052071	Scotch tape swab is used to identify-
Option A	Tape worm
Option B	Pin worm
Option C	Angilostoma
Option D	Hook worm
Correct Option	B

Q. No. 72 0052072	Among the following secondary prevention of TB is-
Option A	BCG Vaccination
Option B	Health education
Option C	DOTS treatment
Option D	Sputum test
Correct Option	C

Q. No. 73 0052073	Which among the following activity need to be restricted in a client with Parkinson's disease?
Option A	Walking on the yard on a cold winter day
Option B	Taking cold water bath
Option C	Taking food item which is high in water content
Option D	Sitting on the beach in sun on a summer day
Correct Option	D

Q. No. 74 0052074	OCD is best managed with which of the following psychotherapy:-
----------------------	--

Option A	Psychodynamic	www.FirstRanker.com	www.FirstRanker.com
Option B	Interpersonal		
Option C	Cognitive behaviour		
Option D	Supportive		
Correct Option	C		

Q. No. 75 0052075	Creating imaginary events to fill up the memory gap is known as-		
Option A	Circumstantiality		
Option B	Neologism		
Option C	Confabulation		
Option D	Compulsion		
Correct Option	C		

Q. No. 76 0052076	The part of mind that distinguish right from wrong & acts as censor of behaviour is known as-		
Option A	Id		
Option B	Ego		
Option C	Superego		
Option D	all the above		
Correct Option	C		

Q. No. 77 0052077	Which is the characteristic of anorexia nervosa?		
Option A	Obsessed with weight loss		
Option B	Body image disturbance		
Option C	(Obsessed with weight loss) + (Body image disturbance)		
Option D	vomiting with nausea		
Correct Option	C		

Q. No. 78 0052078	Which of the following comments, if made by a patient who has major depression would indicate an increased risk of suicide?		
Option A	I don't have any plan to kill myself.		
Option B	I don't want to share my problem with any one.		
Option C	I won't be a problem much longer.		
Option D	My family member can't take care of myself.		
Correct Option	C		

Q. No. 79 0052079	Gamophobia means-		
Option A	Fear of closed place		
Option B	Fear of marriage		
Option C	Fear of divorce		
Option D	Fear of social isolation		
Correct Option	B		

Q. No. 80 0052080	In dissociative identity disorder the host identity refers to:		
Option A	The one that was the first to emerge as new identity		

Option B	The one that is the most dominant
Option C	The one that existed before the onset of the disorder
Option D	The one that is the most aggressive
Correct Option	C

Q. No. 81 0052081	Which of the following is a widely used classical conditioning method for treating nocturnal enuresis?
Option A	Bell-and-whistle technique
Option B	Bell-and-battery technique
Option C	Alarm system technique
Option D	Bell book and candle technique
Correct Option	B

Q. No. 82 0052082	Persistent or recurrent episodes of depersonalization are the central features of Depersonalization Disorder These symptoms are characterised by:
Option A	Feelings of detachment or estrangement from the self
Option B	The sense of living in a dream or in a film
Option C	A sense of not being in control of their behaviour
Option D	All of the above
Correct Option	D

Q. No. 83 0052083	A child is diagnosed with wilm's tumor during assessment, the nurse expects to detect-
Option A	Gross hematuria
Option B	Dysuria
Option C	Abdominal pain
Option D	Abdominal mass
Correct Option	D

Q. No. 84 0052084	Identify the incorrect statement related to mongolian spot in new-born baby-
Option A	Disappear within a year
Option B	Flat, gray-blue-black in colour
Option C	Any part of the body of dark skinned babies
Option D	Are indicative of parenteral abuse
Correct Option	D

Q. No. 85 0052085	'Rh-ve' mother delivered a baby, which among the following list is more likely to be ordered for the baby?
Option A	Blood culture
Option B	Direct coomb's
Option C	Indirect coomb's
Option D	Platelet count
Correct Option	B

Q. No. 86 0052086	Bag mask ventilation is contraindicated to-
Option A	Polycystic kidney
Option B	Cyanosis

Option C	Diaphragmatic hernia	www.FirstRanker.com	www.FirstRanker.com
Option D	Birth asphyxia		
Correct Option	C		

Q. No. 87 0052087	Child who is affected with Bell's palsy, moistening of the effected eye has to be done to present-
Option A	Conjunctivitis
Option B	Blindness
Option C	Keratitis
Option D	Drooping of the eye lid
Correct Option	C

Q. No. 88 0052088	In twin to twin transfusion syndrome in donor twin all the signs & symptoms are present except-
Option A	Oligohydramnios
Option B	Plethora
Option C	Hypovolemia
Option D	Anemia
Correct Option	B

Q. No. 89 0052089	Diaper rashes most commonly caused by
Option A	Diphtheria
Option B	E-coli
Option C	Staphylococcus aureus
Option D	Streptococcus
Correct Option	C

Q. No. 90 0052090	What should be the priority nursing intervention in a child with croup?
Option A	Arrange a cool, soothing environment
Option B	Pad side rails of the ribs
Option C	Place a tracheostomy set at the bedside
Option D	All the above
Correct Option	C

Q. No. 91 0052091	Subacute sclerosing panencephalitis is a complication associated with vaccine
Option A	Measles
Option B	Rubella
Option C	JE
Option D	BCG
Correct Option	A

Q. No. 92 0052092	At birth, ductus venosus collapses and changes to-
Option A	Ligamentum teres
Option B	Ligamentum venosum
Option C	Foramen ovale

Option D	Septum secundum	www.FirstRanker.com	www.FirstRanker.com
Correct Option	B		

Q. No. 93 0052093	Formation at swelling due to stagnation of fluid in the layers at scalp beneath the gridle of contact is
Option A	Moulding
Option B	Haematoma
Option C	Haemangioma
Option D	Capat succedaneum
Correct Option	D

Q. No. 94 0052094	The pelvic shape has the poorest progress from vaginal delivery
Option A	Platypelloid
Option B	Anthropoid
Option C	Android
Option D	Gynecoid
Correct Option	C

Q. No. 95 0052095	The cardinal function of decidua is
Option A	Immunity
Option B	Production of hormones
Option C	Maintenance of pregnancy
Option D	All the above
Correct Option	C

Q. No. 96 0052096	Wide-gap in the suture is
Option A	Diameter
Option B	Circumference
Option C	Fontanel's
Option D	Inlet
Correct Option	C

Q. No. 97 0052097	The dangerous placenta previa-
Option A	Low lying
Option B	Type-I anterior
Option C	Type-II posterior
Option D	Marginal
Correct Option	C

Q. No. 98 0052098	Multi system disorder of unknown etiology characterised by hypertension(140/90 mm of hg or above) with protenuria after 20th weak of pregnancy is called:
Option A	Gestational hypertension
Option B	Pre eclampsia
Option C	Eclampsia
Option D	Chronic hypertension with pregnancy

Q. No. 99 0052099	Vaginal bleeding after 28th weeks of pregnancy which is sudden onset, painless, causeless & recurrent is known as:
Option A	Abortion
Option B	Abruptio placenta
Option C	Placenta previa
Option D	Vasa previa
Correct Option	C

Q. No. 100 0052100	Perinatal transmission of HIV means all except
Option A	Transplacental transmission
Option B	Vertical transmission by preterm birth
Option C	Breast feeding
Option D	Sexual contact
Correct Option	D

Q. No. 101 0052101	Partograph is a composite graphical record which gives information of all the following expect:
Option A	Cervical dilatation
Option B	Descent of head against duration of labour
Option C	Level of dehydration
Option D	Uterine contraction
Correct Option	C

Q. No. 102 0052102	Lochia is the vaginal discharge for first fortnight during puerperium which originates from-
Option A	Uterine body
Option B	Cervix
Option C	Vagina
Option D	All of the above
Correct Option	D

Q. No. 103 0052103	Complete breech presentation means-
Option A	The thighs are flexed on the trunk and the legs are extended at the knee joints
Option B	Both thighs and legs are partially extended
Option C	Thighs are flexed of hips and the legs at the knees
Option D	Thighs are extended but knees are flexed
Correct Option	C

Q. No. 104 0052104	Magnesium sulphate(MgSO₄) is the drug choice for-
Option A	Myasthenia gravis
Option B	Impaired renal function
Option C	Eclampsia
Option D	Respiratory faliure
Correct Option	C

Q. No. 105 0052105	Which of the following does not belong to a project aid?
Option A	Overhead projector
Option B	Blackboard
Option C	Epidiascope
Option D	Slide projector
Correct Option	B

Q. No. 106 0052106	Dynamic approach to teaching means-
Option A	Teaching should be forceful and effective
Option B	Teachers should be energetic and dynamic
Option C	The topics of teaching should not be static, but dynamic
Option D	The student should be required to learn through activities
Correct Option	D

Q. No. 107 0052107	Principles of counselling whole except-
Option A	It is concerned with developing student's self understanding and self determination
Option B	It is not concerned with while individual
Option C	It is more than activity of specialist
Option D	It is a continuous and slow process
Correct Option	B

Q. No. 108 0052108	Aim of nursing education is-
Option A	Physical development
Option B	Mental development
Option C	Vocational development
Option D	All the above
Correct Option	D

Q. No. 109 0052109	It is consist of listing of steps , activities or behaviour which the observer records when an incident occurs-
Option A	Likert scale
Option B	Check list
Option C	Rating Scale
Option D	Intent
Correct Option	B

Q. No. 110 0052110	The term 'phenomenology' is associated with the process of
Option A	Analysis of variance
Option B	correlational study
Option C	Qualitative study
Option D	Probablity sampling
Correct Option	C

Q. No. 111 0052111	Simple random sampling is a type of	www.FirstRanker.com	www.FirstRanker.com
Option A	Probablity sampling		
Option B	Non-probablity sampling		
Option C	Convenient sampling		
Option D	None of the above		
Correct Option	A		

Q. No. 112 0052112	A tentative prediction or explanation or an educational guess of the relationship between two or more variables is called
Option A	Continuous variables
Option B	Hypothesis
Option C	Assumption
Option D	Limitation
Correct Option	B

Q. No. 113 0052113	A true experimental study is a scientific investigation characterised by the following properties except-
Option A	Manipulation
Option B	Control
Option C	Cohort group
Option D	Randomisation
Correct Option	C

Q. No. 114 0052114	Measures of central tendency includes all the following except-
Option A	Mean
Option B	Mode
Option C	Paired 't'-test
Option D	Median
Correct Option	C

Q. No. 115 0052115	A written order for supplies and equipment or for their repair is
Option A	Inventory
Option B	Indent
Option C	Requisition
Option D	Quotation
Correct Option	C

Q. No. 116 0052116	Principles of administration includes all the following except-
Option A	Unity of command
Option B	Unity of direction
Option C	Scaler chain of command
Option D	Unity of collective behaviour
Correct Option	D

Q. No. 117 0052117	In the communication process, a receiver is-	www.FirstRanker.com
-----------------------	---	---------------------

Option A	A message pathway	www.FirstRanker.com	www.FirstRanker.com
Option B	The person who encodes an idea		
Option C	Message interference		
Option D	The person who decodes a message		
Correct Option	B		

Q. No. 118 0052118	Components of in-service education are as follows except:		
Option A	Orientation skill training programme		
Option B	Continuous nursing education programme		
Option C	Health programme		
Option D	Leadership training programme		
Correct Option	C		

Q. No. 119 0052119	Recruitment, selection, development , utilisation and accommodation of human resources by organisation is called as what?		
Option A	Staffing		
Option B	Administration		
Option C	Human resource management		
Option D	Controlling		
Correct Option	C		

Q. No. 120 0052120	Causes of bed scores are:		
Option A	Friction		
Option B	Moisture		
Option C	Presence of pathogenic organism		
Option D	All of the above		
Correct Option	D		

WWW.