

Code No: 07A3EC15

R07**Set No. 2**

II B.Tech I Semester Examinations, MAY 2011

ADVANCED DATA STRUCTURES

Common to Electronics And Computer Engineering, Computer Science And
Engineering

Time: 3 hours

Max Marks: 80

Answer any FIVE Questions
All Questions carry equal marks

1. (a) Define a Stack and propound a stack ADT.
(b) Write a C++ program to build a stack with its basic operations. [8+8]
2. (a) Detail about extendible hashing method with an example
(b) What are the major advantages of extendible hashing over other hashing techniques? [8+8]
3. Explain the following:
 - (a) Leftist heap
 - (b) Skew heap
 - (c) Binomial heap [16]
4. Write an algorithm to insert a key value X into a trie in which the keys are sampled left to right, one character at a time. [16]
5. (a) Compare various types of type cast operations. Detail about overloading of these operations.
(b) How to set default values of function arguments?
(c) When writing a catch operation we can write directly type of exception. Compare these approaches. [8+4+4]
6. What is template? Explain about function templates and class templates with suitable examples. [16]
7. (a) What is a digital search tree? Differentiate a Binary search tree and digital search tree.
(b) Write C++ routine for insertion operation on digital search tree. [6+10]
8. Create a Red Black tree for the following list:
 - (a) $L = \langle 10, 8, 6, 4, 2, 1, 3, 5, 7, 9 \rangle$
 - (b) $L = \langle K, J, G, F, C, B, A, D, E, H, I, L, M \rangle$ [16]

Code No: 07A3EC15

R07**Set No. 4**

II B.Tech I Semester Examinations, MAY 2011

ADVANCED DATA STRUCTURES

Common to Electronics And Computer Engineering, Computer Science And Engineering

Time: 3 hours

Max Marks: 80

Answer any FIVE Questions
All Questions carry equal marks

1. Create a Red Black tree for the following list:
 - (a) $L = \langle 10, 8, 6, 4, 2, 1, 3, 5, 7, 9 \rangle$
 - (b) $L = \langle K, J, G, F, C, B, A, D, E, H, I, L, M \rangle$ [16]
2. (a) Define a Stack and propound a stack ADT.
 (b) Write a C++ program to build a stack with its basic operations. [8+8]
3. What is template? Explain about function templates and class templates with suitable examples. [16]
4. Explain the following:
 - (a) Leftist heap
 - (b) Skew heap
 - (c) Binomial heap [16]
5. Write an algorithm to insert a key value X into a trie in which the keys are sampled left to right, one character at a time. [16]
6. (a) Detail about extendible hashing method with an example
 (b) What are the major advantages of extendible hashing over other hashing techniques? [8+8]
7. (a) Compare various types of type cast operations. Detail about overloading of these operations.
 (b) How to set default values of function arguments?
 (c) When writing a catch operation we can write directly type of exception. Compare these approaches. [8+4+4]
8. (a) What is a digital search tree? Differentiate a Binary search tree and digital search tree.
 (b) Write C++ routine for insertion operation on digital search tree. [6+10]

Code No: 07A3EC15

R07**Set No. 1**

II B.Tech I Semester Examinations, MAY 2011

ADVANCED DATA STRUCTURES

Common to Electronics And Computer Engineering, Computer Science And
Engineering

Time: 3 hours

Max Marks: 80

Answer any FIVE Questions
All Questions carry equal marks

1. (a) Detail about extendible hashing method with an example
(b) What are the major advantages of extendible hashing over other hashing techniques? [8+8]
2. (a) What is a digital search tree? Differentiate a Binary search tree and digital search tree.
(b) Write C++ routine for insertion operation on digital search tree. [6+10]
3. What is template? Explain about function templates and class templates with suitable examples. [16]
4. Create a Red Black tree for the following list:
 - (a) $L = \langle 10, 8, 6, 4, 2, 1, 3, 5, 7, 9 \rangle$
 - (b) $L = \langle K, J, G, F, C, B, A, D, E, H, I, L, M \rangle$ [16]
5. (a) Define a Stack and propound a stack ADT.
(b) Write a C++ program to build a stack with its basic operations. [8+8]
6. (a) Compare various types of type cast operations. Detail about overloading of these operations.
(b) How to set default values of function arguments?
(c) When writing a catch operation we can write directly type of exception. Compare these approaches. [8+4+4]
7. Explain the following:
 - (a) Leftist heap
 - (b) Skew heap
 - (c) Binomial heap [16]
8. Write an algorithm to insert a key value X into a trie in which the keys are sampled left to right, one character at a time. [16]

Code No: 07A3EC15

R07**Set No. 3**

II B.Tech I Semester Examinations, MAY 2011

ADVANCED DATA STRUCTURES

Common to Electronics And Computer Engineering, Computer Science And
Engineering

Time: 3 hours

Max Marks: 80

Answer any FIVE Questions
All Questions carry equal marks

1. Create a Red Black tree for the following list:
 - (a) $L = \langle 10, 8, 6, 4, 2, 1, 3, 5, 7, 9 \rangle$
 - (b) $L = \langle K, J, G, F, C, B, A, D, E, H, I, L, M \rangle$ [16]
2. (a) Compare various types of type cast operations. Detail about overloading of these operations.
 (b) How to set default values of function arguments?
 (c) When writing a catch operation we can write directly type of exception. Compare these approaches. [8+4+4]
3. What is template? Explain about function templates and class templates with suitable examples. [16]
4. Write an algorithm to insert a key value X into a trie in which the keys are sampled left to right, one character at a time. [16]
5. (a) What is a digital search tree? Differentiate a Binary search tree and digital search tree.
 (b) Write C++ routine for insertion operation on digital search tree. [6+10]
6. (a) Detail about extendible hashing method with an example
 (b) What are the major advantages of extendible hashing over other hashing techniques? [8+8]
7. Explain the following:
 - (a) Leftist heap
 - (b) Skew heap
 - (c) Binomial heap [16]
8. (a) Define a Stack and propound a stack ADT.
 (b) Write a C++ program to build a stack with its basic operations. [8+8]
