R07

Set No. 2

III B.Tech I Semester Examinations, MAY 2011 FORMAL LANGUAGES AND AUTOMATA THEORY Computer Science And Engineering

Time: 3 hours

Code No: 07A50501

Max Marks: 80

Answer any FIVE Questions All Questions carry equal marks *****

- 1. (a) If G=({S}, {0, 1}, {S \to 0S1, S \to ε }, S), find L(G).
 - (b) If $G = ({S}, {a}, {S \rightarrow SS}, S)$ find the language generated by G. [8+8]
- 2. Convert the following grammar to Greibach Normal Form $G = ({A1, A2, A3}, {a,b}, P, A)$ Where P consists of the following $A1 \rightarrow A2 A3$ $A2 \rightarrow A3 A1 \mid b$ $A3 \rightarrow A1 A2 \mid a$ [16]
- 3. (a) Design Push Down Automata for L={0ⁿ1²ⁿ | n ≥ 1}by final state method.
 (b) Draw the transaction diagram for above language L. [12+4]
- 4. (a) Show that there exist no finite automaton accepting all palindromes over $\{a, b\}$.
 - (b) Show that $\{a^nb^n \mid n > 0\}$ is not a regular set without using the pumping lemma. [8+8]
- 5. (a) Construct a NFA accepting {ab, ba} and use it to find a deterministic automaton accepting the same set.
 - (b) $M = \{ \{q1, q2, q3\}, \{0, 1\}, \delta, q1, \{q3\} \}$ is a NFA where δ is given by $\delta (q1, 0) = \{q2, q3\}, \delta (q1, 1) = q1$ $\delta (q2, 0) = \{q1, q2, \delta(q2, 1) = \emptyset$ $\delta(q3, 0) = \{q2\}, \delta(q3, 1) = \{q1, q2\}$ construct an equivalent DFA. [8+8]
- 6. Design Turing Machine for $L = \{ 0^n \ 1^n \ 0^n \mid n \ge 1 \}.$ [16]
- 7. Construct LR(0) items for the grammar given find it's equivalent DFA $S \rightarrow aSA \mid b$ $A \rightarrow Ab \mid a$ [16]
- 8. (a) Construct a Deterministic acceptor equivalent to $M = (\{q_0, q_1, q_2\}, \{a, b\}, \delta, q_0, \{q_2\})$ and δ is given in table (figure 1).
 - (b) Construct a Moore machine equivalent to the Mealy machine M given in table. [8+8]

Code No: 07A50501

$\mathbf{R07}$



States/ Σ	а	b
$\rightarrow q_0$	$\{q_0,q_1\}$	\mathbf{q}_2
\mathbf{q}_1	\mathbf{q}_0	\mathbf{q}_1
92	-	$\{q_0,q_1\}$

figure - 1

R07

Set No. 4

Figure 1:

III B.Tech I Semester Examinations,MAY 2011 FORMAL LANGUAGES AND AUTOMATA THEORY Computer Science And Engineering Max Marks: 80

Time: 3 hours

Code No: 07A50501

Answer any FIVE Questions All Questions carry equal marks

- 1. Explain the following
 - (a) Multi tape Turing Machine
 - (b) Multi dimensional Turing Machine
 - (c) Multi head Turing Machine. [6+5+5]
- 2. State and explain about closure properties of Context Free Languages. [16]
- 3. (a) Differentiate Moore and Mealy machines
 - (b) Define NFA with ε moves.
 - (c) Construct a Mealy machine which can output EVEN, ODD according as the total number of 1's encountered is even or odd. The input symbols are 0 and 1.
 [5+4+7]
- 4. (a) Let G be the grammar. $S \rightarrow aS \mid aSbS \mid \varepsilon$. Prove that $L(G) = \{x \mid such that each prefix of x has at least as many a's as b's \}$
 - (b) Show that {abc, bca, cab} can be generated by a regular grammar whose terminal set is {a, b, c} [8+8]
- 5. (a) Give NFA accepting the set of all strings of 0's and 1's such that the 10th symbol from the right is a 1.
 - (b) Give DFA accepting the set of all strings with 3 consecutive 0's over the alphabet $\{0, 1\}$.
 - (c) Define Finite Automata. Give an example. [6+5+5]

6. Convert the following grammar to Chomsky Normal Form

S→ABA

 $A \rightarrow aA \mid \varepsilon$

 $B \rightarrow bB \mid \varepsilon$ and simplify the grammar

Code No: 07A50501

Set No. 4

- 7. Construct LR(0) items for the grammar given find it's equivalent DFA. S' \rightarrow S S \rightarrow AS | a A \rightarrow aA | b
- 8. Using pumping lemma show that the following sets are not regular:
 - (a) $\{a^n b^{2n} \mid n > 0\}$
 - (b) $\{a^n b^m \mid 0 < n < m\}$

[8+8]

[16]

RANKER

R07

Set No. 1

III B.Tech I Semester Examinations, MAY 2011 FORMAL LANGUAGES AND AUTOMATA THEORY Computer Science And Engineering

Time: 3 hours

Code No: 07A50501

Max Marks: 80

Answer any FIVE Questions All Questions carry equal marks *****

- 1. Find regular expressions representing the following sets
 - (a) the set of all stings over {0, 1} having at most one pair of 0's or atmost of one pair of 1's
 - (b) the set of all strings over {a, b} in which the number of occurrences of a is devisible by 3
 - (c) the set of all strings over {a, b} in which there are at least two occurrences of b between any two occurrences of a.
 - (d) the set of all strings over {a, b} with three consecutive b's.

[16]

[16]

[16]

- 2. Explain halting problem of Turing Machine.
- 3. What are type 0, 1, 2, 3 grammars? Compare them in different aspects. [16]
- 4. (a) Construct NFA accepting the set of all strings over an alphabet {0, 1} of 0's and 1's such that the 10th symbol from the right end is a 1. Construct DFA equivalent to this NFA.
 - (b) Construct NFA accepting the set of all strings over an alphabet {0, 1} such that every block of 5 consecutive symbols contains at least two 0's. Construct DFA equivalent to this NFA.
- 5. (a) Convert the following grammar to Greibach Normal Form $S \rightarrow SS$ $S \rightarrow 0S1 \mid 01$
 - (b) Show that grammar is ambiguous S \rightarrow aSbS | bSaS | ε [8+8]

6. State and explain the properties of DCFL.

- (a) Consider the Finite State Machine whose Transition function δ is given in the form of a transition table (figure 2). Here, Q = {q₀,q₁,q₂,q₃}, Σ = {0,1},F={q₀}. Give the entire sequence of states for the inputstring 110001. Transition Table:
 - (b) Let $M = (Q, \Sigma, \delta, q0, F)$ be a finite automaton. Let R be a relation in Q defined by $q_1 R q_2$ if δ $(q_1, a) = \delta(q_2, a)$ for some $a \in \Sigma$. Is R an equivalence relation? [8+8]

R07



Code No: 07A50501

States	Input		
	1	0	
\mathbf{q}_0	\mathbf{q}_2	\mathbf{q}_1	
\mathbf{q}_1	\mathbf{q}_3	\mathbf{q}_0	
\mathbf{q}_2	\mathbf{q}_0	\mathbf{q}_3	
(J)	\mathbf{q}_1	\mathbf{q}_2	

Figure 2:

FRS

- 8. (a) Find the language generated by the grammar. S \rightarrow 0A | 1S | 0 | 1, A \rightarrow 1A | 1S | 1
 - (b) Construct context-free grammars to generate the set $\{a^l b^m c^n \mid \text{one of } l, m, n equals 1 and the remaining two are equal}\}$. [8+8]

R07

Set No. 3

III B.Tech I Semester Examinations, MAY 2011 FORMAL LANGUAGES AND AUTOMATA THEORY Computer Science And Engineering

Time: 3 hours

Code No: 07A50501

atter Science And Engineering

Max Marks: 80

[16]

|8+8|

Answer any FIVE Questions All Questions carry equal marks $\star \star \star \star \star$

- 1. What is meant by Chomsky hierarchy of languages. Explain the relations between different types of languages. [16]
- 2. Explain about various types of Turing Machine.
- 3. (a) State and explain pumping lemma for CFL.
 - (b) Show that $L = \{a^n b^n c^n \mid n \ge 1\}$ is not CFL.
- 4. (a) Draw the transition diagram of a FA which accepts all strings of 1's and 0's in which both the number of 0's and 1's are even.
 - (b) Construct NFA which accepts the set of all strings over {0,1} in which there are at least two occurrences of 1 between any two occurrences of 0. Construct DFA for the same set.
- 5. (a) Construct a NFA accepting {ab, ba} and use it to find a deterministic automaton accepting the same set.
 - (b) $M = (\{q1, q2, q3\}, \{0, 1\}, \delta, q1, \{q3\})$ is a NFA where δ is given by $\delta (q1, 0) = \{q2, q3\}, \quad \delta (q1, 1) = \{q1\}$ $\delta (q2, 0) = \{q1, q2\}, \quad \delta (q2, 1) = \emptyset$ $\delta (q3, 0) = \{q2\}, \quad \delta (q3, 1) = \{q1, q2\}$ construct an equivalent DFA. [8+8]
- 6. (a) Construct a grammar generating $L = \{wcw^R \mid w \in \{a, b\}^*\}.$
 - (b) Find a CFG with no useless symbols equivalent to $S \rightarrow AB \mid CA, A \rightarrow a, B \rightarrow BC \mid AB, C \rightarrow aB \mid b$ [8+8]
- 7. Let value (x) be the result when the symbols of x are multiplied from left to right according to the table given.
 - (a) Is $L = \{xy \mid |x| = |y| \text{ and } value(x) = value(y)\}$ regular?
 - (b) Is $L = \{xy \mid value(x) = value(y)\}$ regular? [8+8]

	a	a	С
a	a	a	С
b	С	a	b
С	b	С	a

8. Construct Push Down Automata which can accept the language L={X, aXa, bXb, aaXaa, abXab, bbXbb, aaaXaaa,}. [16]

www.firstranker.com

Code No: 07A50501

R07



FRANKER