NR/R09

[12]

Max.Marks:60

Code No: B4304 / D4901, D0708, D4304 JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY HYDERABAD M.Tech II Semester Examinations, March/April 2011 NEURAL AND FUZZY SYSTEMS (Common to Power Electronics, Electrical Power Systems, Electrical Power

Engineering)

Time: 3hours

Answer any five questions All questions carry equal marks

- 1. a) Explain the differences between conventional computation and neural network computation.
 - b) Explain the historical development of neural systems.
 - c) With schematic diagram explain the spiking neuron model.
- 2. a) With suitable diagrams explain the neural dynamics
 b) With suitable examples explain the learning schemes of artificial neural networks. [12]
- 3. a) State and prove the perceptron convergence theorem.
 - b) With suitable diagram explain the concept of back propagation? Derive update equations for weight elements of multi-layer feed-forward neural network. [12]
- 4. a) Construct an energy function for the continuous Hopfield neural network with size of N neurons and show that the energy function deceases every time the neuron output changed.
 - b) Explain the architecture of Bi-directional Associative Memories. Also explain its storage and recall algorithms. [12]
- 5. a) Determine all possible α -level sets and all strong α -level for the following fuzzy sets:
 - (i) $\widetilde{A} = \{(3, 0.1), (4, 0.2), (5, 0.3), (6, 0.4), (7, 0.6), (8, 0.8), (10, 1), (12, 0.8), (14, 0.6)\}.$
 - (ii) $\widetilde{B} = \{(x, \mu_B(x) = ((1 + (x 10)^2)^{-1})\}$ for $\alpha = 0.3, 0.5, 0.8$.
 - (iii) $\widetilde{C} = \{ (x, \mu_{\widetilde{C}}(x) | x \in \mathbb{R} \}$

Where $\mu_{\tilde{C}}(x) = 0$ for $x \le 10$, $\mu_{\tilde{C}}(x) = (1 + (x - 10)^{-2})^{-1}$ for x > 10.

- b) Explain some basic set theoretic operations for Fuzzy sets. [12]
- 6. a) Draw a block diagram of a possible fuzzy logic control system. Explain about each block.
 - b) Explain the defuzzification methods that are used to convert fuzzy values to crisp values. [12]

Contd.....2

www.firstranker.com

- 7. a) What are Kohonen's self organizing maps?. Explain the architecture and the training algorithm used for Kohonen's SOMs.
 - b) With suitable diagram, explain the learning of Boltzmann's machines. [12]
- 8. a) Explain the architecture and learning algorithm of ART1.
 - b) Explain the suitable ANN structures whose can be used for process identification.

[12]

FRANKER

Jawaharlal Nehru Technological University Hyderabad M. Tech , Examination

Sub: NEURAL & FUZZY SYSTEMS.

Marks: 60

(5)

(6)

Time: 3 hours

Note: 1. Answer any five questions 2. All questions carry equal marks

- 1 (a) Explain the characteristics of ANN.
 - (4) (b) With schematic diagram explain the mathematical modeling of Hodgkin – Huxley neuron. (4)

(c) What are the assumptions made in McCulloch-Pitts theory? Explain. (4)

1. (a) With suitable diagrams explain the Activation and Synaptic dynamics of neuron.

(b) Derive the learning algorithm for multi-category perceptron networks. (6)

- 2. (a) Explain the limitations of backpropagation learning. Also explain the scope to over come these limitations.
 - (b) Construct an energy function for a discrete and continuous Hopfield neural network, each of its size N neurons. Show that the energy function decreases every time the neuron output changed. (7)
- (a) Explain the algorithms for storage and recall of information in Hopfiled networks. 4.
 - Explain the concept of Simulated Annealing. Also explain how use this (b) concept in training of Boltzmann networks. (7)
- (a) Let $X = \{1, 2, 3, \dots, 10\}$. Determine the cardinalities and relative cardinalities 5. of the following fuzzy sets. (6)
 - (i) $\widetilde{A} = \{(3, 0.1), (4, 0.2), (5, 0.3), (6, 0.4), (7, 0.6), (8, 0.8), (10,1), (12, 0.8), (14, 0.2), (14, 0$ 0.6).
 - (ii) $\tilde{B} = \{(2,0.4), (3,0.6), (4,0.8), (5,1.0), (6,0.8), (7,0.6), (8,0.4)\}$

(iii)
$$\tilde{C} = \{(2, 0.4), (4, 0.8), (5, 1.0), (7, 0.6)\}$$

Explain some basic set theoretic operations for Fuzzy sets. (b) (6)

- (a) Explain the process involved in the development of fuzzy rule base system. (6) 6. (b) Explain the defuzzification methods that are used to convert fuzzy values to crisp values. (6)
 - 5. (a) Explain the applications of self-organizing map networks (6)(b) Explain the training algorithm of Kohonen's layer training algorithm.. (6)
 - 8 (a) Describe the ART architectures and their processing algorithms. (6)(b) Define the problem of process identification. What are the possible neural network configurations for plant identification? Explain each of them.
